

Proferred[®]

Preferred by
Professionals

**Tools,
Safety,
Drill Bits
& more...**

062023

www.zalindustrial.com • 1-323-262-0259

IronCLAD TASK SPECIFIC
HAND PROTECTION



ASK US ABOUT IRONCLAD[®] GLOVES



Linusk®

Proferred®



**BEST IN
QUALITY
& VALUE**

4	SOCKET SETS MASTER
5	SOCKET SETS
6	SOCKETS INDIVIDUAL & ACCESSORIES
8	RIVET TOOLS
8	AVIATION SNIPS
8	ADJUSTABLE WRENCHES
10	PIPE WRENCHES
10	PLIERS
13	SCREWDRIVERS
15	HEX KEYS
16	STAPLERS & STAPLES
16	COMBINATION WRENCHES
18	HAMMERS
18	DRIVE BITS & ACCESSORIES
22	TAPE MEASURES
22	UTILITY KNIFE & BLADES
22	HACK SAW & BLADES

24	GLOVES
27	KNEE PADS
27	CABLE TIES
28	FLASH LIGHTS
29	KNEEING PAD
30	SAFETY GLASSES
34	EAR PLUGS
34	SAFETY VESTS
34	DUST MASKS & RESPIRATORS
35	TAPES & DISPENSERS
37	VIBRA-TITE® THREADLOCKER
37	CONTRACTOR WASTE BAGS
37	CARPENTER PENCILS
37	BOLT GAUGES
38	HAND & TOOL WIPES / SHOP TOWELS

HAND TOOLS

PAGE 3

PERSONAL PROTECTIVE EQUIPMENT

PAGE 23

CUTTING TOOLS & ABRASIVES

PAGE 39

40	M2 HIGH SPEED STEEL TWIST DRILL BIT
43	M2 HIGH SPEED STEEL BLACK & GOLD DRILL BIT
45	M35 COBALT TWIST DRILL BIT
47	DRILL BIT SETS
48	M42 SUPER COBALT DOUBLE END DRILL BIT
48	M42 SUPER COBALT SPOT WELD DRILL BIT
48	M2 HIGH SPEED STEEL STEP DRILL BIT (INCH)
48	HIGH SPEED STEEL TAP
49	CARBON PIPE TAP
50	HIGH SPEED STEEL PIPE TAP
50	HIGH SPEED STEEL COMBO DRILL TAP
50	HIGH SPEED STEEL SPIRAL POINT GUN TAP
50	TAP & DRILL SET
50	TAP WRENCH
51	M2 HIGH SPEED STEEL REAMER (INCH)
51	TUNGSTEN CARBIDE TIPPED CUTTER (INCH)
52	TUNGSTEN CARBIDE TIPPED ACCESSORIES (INCH)
52	M2 HIGH SPEED STEEL ANNULAR CUTTER FOR MAGNETIC DRILL BIT (INCH)
53	M2 HIGH SPEED STEEL ANNULAR CUTTER PILOT PIN (INCH)
53	WIRE BRUSH
54	SPADE BIT
54	SPADE BIT SET
54	SELF FEED DRILL
54	DRILL EXTENSION
55	SHIP AUGER
55	ROUND SHANK DRILLTEC™ DRILL BIT
56	SDS PLUS DRILLTEC™ DRILL BIT
56	SDS MAX CARBIDE DRILL BIT
57	SDS PLUS DRILL BIT WITH STOP
57	CONCRETE SCREW DRILL BIT PLAIN
57	SDS HEX CONCRETE SCREW DRILL BIT
57	BI-METAL RECIPROCATING BLADE
58	SCREW EXTRACTOR SET
58	SCREW EXTRACTOR
58	ABRASIVE CUT-OFF WHEELS AND CHOP SAW WHEEL
59	ABRASIVE PORTABLE HIGH SPEED GAS SAW WHEEL
59	GRINDING DISC TYPE 27
59	FLAP DISC TYPE 29
60	FLAP DISC TYPE 27
60	HAND PAD

Proferred[®]

Preferred by
Professionals



HAND TOOLS

Lifetime warranty is for hand tools.
All other products are warranted
against manufacture defects.



1/4" DRIVE STANDARD SOCKET MASTER SET-48 PIECE



Part No.	Description
S01001	PROFERRED 1/4" DRIVE STANDARD SAE-MT - 6 POINT SOCKET MASTER SET 48 PIECE
1/4" Drive SAE 6 Point Standard Socket 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"	Bits Set 1: T10, T15, T20, T25, T27, T30, T40, PH1, PH2, PH3
1/4" Drive Metric 6 Point Standard Socket 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm	Bits Set 2: 3/16, 7/32, 1/4, S1, S2, H3, H4, H5, H6
1/4" Drive Pear Ratchet Handle 72 Teeth 4.5"	Hex Adapter
1/4" Drive Extension Bar 2", 6"	Ratcheting Screwdriver
1/4" Drive Universal Joint	

3/8" DRIVE STANDARD SOCKET MASTER SET-37 PIECE



Part No.	Description
S01002	PROFERRED 3/8" DRIVE STANDARD SAE-MT - 6 SOCKET MASTER SET 37 PIECE
3/8" Drive SAE 6 Point Standard Socket 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	3/8" Drive Flex Handle (Breaker Bar) 10"
3/8" Drive Metric 6 Point Standard Socket 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm	Spark plug Sockets 5/8", 13/16"
3/8" Drive Pear Ratchet Handle 72 Teeth 8"	3/8" F - 1/4" M Adapter
3/8" Drive Extension Bar 3", 6", 10"	1/2" F - 3/8" M 3 way Adapter
3/8" Drive Universal Joint	

1/2" DRIVE STANDARD SOCKET MASTER SET-21 PIECE



Part No.	Description
S01003	PROFERRED 1/2" DRIVE STANDARD SAE - 12 POINT SOCKET MASTER SET 21 PIECE
1/2" Drive SAE 12 Point Standard Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"	1/2" Drive Universal Joint
1/2" Drive Pear Ratchet Handle 60 Teeth 10"	1/2" Drive Flex Handle (Breaker Bar) 15"
1/2" Drive Extension Bar 5", 10"	3/8" F - 1/2" M 3 way Adapter

3/4" DRIVE STANDARD SOCKET MASTER SET-15 PIECE



Part No.	Description
S01004	PROFERRED 3/4" DRIVE STANDARD SAE - 12 POINT SOCKET MASTER SET 15 PIECE
3/4" Drive SAE 12 Point Standard Socket 7/8", 15/16", 1", 1-1/8", 1-1/4", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 2"	3/4" Drive Universal Joint
3/4" Drive Pear Ratchet Handle 24 Teeth 20"	3/4" Drive Flex Handle (Breaker Bar) 20"
3/4" Drive Extension Bar 4", 8"	



1/4" DRIVE 6 POINT SOCKET SETS SAE-METRIC STANDARD & DEEP-11 PIECE SOCKET RAIL INCLUDED

Part No.	Description
S04001	PROFFERED 1/4" DRIVE SAE 6 POINT STANDARD SOCKET SET 11 PIECE
1/4" Drive SAE 6 Point Standard Socket 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"	
Part No.	Description
S04101	PROFFERED 1/4" DRIVE SAE 6 POINT DEEP SOCKET SET 11 PIECE
1/4" Drive SAE 6 Point Deep Socket 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"	

3/8" DRIVE SOCKET SETS 6 POINT & 12 POINT SAE-METRIC STANDARD & DEEP SOCKET RAIL INCLUDED

Part No.	Description
S06001	PROFFERED 3/8" DRIVE SAE 6 POINT STANDARD SOCKET SET 15 PIECE
3/8" Drive SAE 6 Point Standard Socket 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	
Part No.	Description
S06301	PROFFERED 3/8" DRIVE SAE 12 POINT DEEP SOCKET SET 12 PIECE
3/8" Drive SAE 12 Point Deep Socket 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	

1/2" DRIVE 12 POINT SAE-METRIC SOCKET SETS STANDARD & DEEP SOCKET RAIL INCLUDED

Part No.	Description
S08201	PROFFERED 1/2" DRIVE SAE 12 POINT STANDARD SOCKET SET 15 PIECE
1/2" Drive SAE 12 Point Standard Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"	
Part No.	Description
S08301	PROFFERED 1/2" DRIVE SAE 12 POINT DEEP SOCKET SET 12 PIECE
1/2" Drive SAE 12 Point Deep Socket 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	

1/2" DRIVE 6 POINT IMPACT SOCKET SETS

Part No.	Description
S11001	PROFFERED 1/2" DRIVE SAE 6 POINT STANDARD IMPACT SOCKET SET 15 PIECE
1/2" Drive SAE 6 Point Standard Impact Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"	
Part No.	Description
S11101	PROFFERED 1/2" DRIVE SAE 6 POINT DEEP IMPACT SOCKET SET 15 PIECE
1/2" Drive SAE 6 Point Deep Impact Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"	



Part No.	Description
S05001	PROFFERED 1/4" DRIVE METRIC 6 POINT STANDARD SOCKET SET 11 PIECE
1/4" Drive Metric 6 Point Standard Socket 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm	
Part No.	Description
S05101	PROFFERED 1/4" DRIVE METRIC 6 POINT DEEP SOCKET SET 11 PIECE
1/4" Drive Metric 6 Point Deep Socket 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm	



Part No.	Description
S07001	PROFFERED 3/8" DRIVE METRIC 6 POINT STANDARD SOCKET SET 17 PIECE
3/8" Drive Metric 6 Point Standard Socket 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm	
Part No.	Description
S07301	PROFFERED 3/8" DRIVE METRIC 12 POINT DEEP SOCKET SET 12 PIECE
3/8" Drive Metric 12 Point Deep Socket 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm	



Part No.	Description
S09201	PROFFERED 1/2" DRIVE METRIC 12 POINT STANDARD SOCKET SET 15 PIECE
1/2" Drive 12 Point Metric Standard Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm, 27mm, 30mm, 32mm	
Part No.	Description
S09301	PROFFERED 1/2" DRIVE METRIC 12 POINT DEEP SOCKET SET 12 PIECE
1/2" Drive Metric 12 Point Deep Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm	



Part No.	Description
S12001	PROFFERED 1/2" DRIVE METRIC 6 POINT STANDARD IMPACT SOCKET SET 16 PIECE
1/2" Drive Metric 6 Point Standard Impact Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm, 27mm, 30mm, 32mm	
Part No.	Description
S12101	PROFFERED 1/2" DRIVE METRIC 6 POINT DEEP IMPACT SOCKET SET 15 PIECE
1/2" Drive Metric 6 Point Deep Impact Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm, 27mm	



CHROME & IMPACT SOCKETS

Features

- Stress reduced hex drive
- Forged for maximum strength
- Packed on a rail



Part No.	Description
1/4" DRIVE SAE 6 POINT STANDARD CHROME / DEEP CHROME SOCKETS	
S15005	Standard Chrome Socket 5/32"
S15006	Standard Chrome Socket 3/16"
S15007	Standard Chrome Socket 7/32"
S15008	Standard Chrome Socket 1/4"
S15009	Standard Chrome Socket 9/32"
S15010	Standard Chrome Socket 5/16"
S15011	Standard Chrome Socket 11/32"
S15012	Standard Chrome Socket 3/8"
S15014	Standard Chrome Socket 7/16"
S15016	Standard Chrome Socket 1/2"
S15018	Standard Chrome Socket 9/16"
S15105	Deep Chrome Socket 5/32"
S15106	Deep Chrome Socket 3/16"
S15107	Deep Chrome Socket 7/32"
S15108	Deep Chrome Socket 1/4"
S15109	Deep Chrome Socket 9/32"
S15110	Deep Chrome Socket 5/16"
S15111	Deep Chrome Socket 11/32"
S15112	Deep Chrome Socket 3/8"
S15114	Deep Chrome Socket 7/16"
S15116	Deep Chrome Socket 1/2"
S15118	Deep Chrome Socket 9/16"
1/4" DRIVE METRIC 6 POINT STANDARD CHROME / DEEP CHROME SOCKETS	
S16002	Standard Chrome Socket 4mm
S16003	Standard Chrome Socket 4.5mm
S16004	Standard Chrome Socket 5mm
S16005	Standard Chrome Socket 5.5mm
S16006	Standard Chrome Socket 6mm
S16007	Standard Chrome Socket 7mm
S16008	Standard Chrome Socket 8mm
S16009	Standard Chrome Socket 9mm
S16010	Standard Chrome Socket 10mm
S16011	Standard Chrome Socket 11mm
S16012	Standard Chrome Socket 12mm
S16013	Standard Chrome Socket 13mm
S16014	Standard Chrome Socket 14mm
S16102	Deep Chrome Socket 4mm
S16104	Deep Chrome Socket 5mm
S16106	Deep Chrome Socket 6mm
S16107	Deep Chrome Socket 7mm
S16108	Deep Chrome Socket 8mm
S16109	Deep Chrome Socket 9mm
S16110	Deep Chrome Socket 10mm
S16111	Deep Chrome Socket 11mm
S16112	Deep Chrome Socket 12mm
S16113	Deep Chrome Socket 13mm
S16114	Deep Chrome Socket 14mm

Part No.	Description
3/8" DRIVE SAE 6 POINT STANDARD CHROME SOCKETS	
S19008	Standard Chrome Socket 1/4"
S19010	Standard Chrome Socket 5/16"
S19012	Standard Chrome Socket 3/8"
S19014	Standard Chrome Socket 7/16"
S19016	Standard Chrome Socket 1/2"
S19018	Standard Chrome Socket 9/16"
S19020	Standard Chrome Socket 5/8"
S19022	Standard Chrome Socket 11/16"
S19024	Standard Chrome Socket 3/4"
S19026	Standard Chrome Socket 13/16"
S19028	Standard Chrome Socket 7/8"
S19030	Standard Chrome Socket 15/16"
S19032	Standard Chrome Socket 1"
3/8" DRIVE SAE 12 POINT DEEP CHROME SOCKETS	
S19308	Deep Chrome Socket 1/4"
S19310	Deep Chrome Socket 5/16"
S19312	Deep Chrome Socket 3/8"
S19314	Deep Chrome Socket 7/16"
S19316	Deep Chrome Socket 1/2"
S19318	Deep Chrome Socket 9/16"
S19320	Deep Chrome Socket 5/8"
S19322	Deep Chrome Socket 11/16"
S19324	Deep Chrome Socket 3/4"
S19326	Deep Chrome Socket 13/16"
S19328	Deep Chrome Socket 7/8"
S19330	Deep Chrome Socket 15/16"
S19332	Deep Chrome Socket 1"
3/8" DRIVE METRIC 6 POINT STANDARD CHROME SOCKETS	
S20006	Standard Chrome Socket 6mm
S20007	Standard Chrome Socket 7mm
S20008	Standard Chrome Socket 8mm
S20009	Standard Chrome Socket 9mm
S20010	Standard Chrome Socket 10mm
S20011	Standard Chrome Socket 11mm
S20012	Standard Chrome Socket 12mm
S20013	Standard Chrome Socket 13mm
S20014	Standard Chrome Socket 14mm
S20015	Standard Chrome Socket 15mm
S20016	Standard Chrome Socket 16mm
S20017	Standard Chrome Socket 17mm
S20018	Standard Chrome Socket 18mm
S20019	Standard Chrome Socket 19mm
S20021	Standard Chrome Socket 21mm
S20022	Standard Chrome Socket 22mm
S20024	Standard Chrome Socket 24mm
3/8" DRIVE METRIC 12 POINT DEEP CHROME SOCKETS	

Part No.	Description
S20308	Deep Chrome Socket 8mm
S20309	Deep Chrome Socket 9mm
S20310	Deep Chrome Socket 10mm
S20311	Deep Chrome Socket 11mm
S20312	Deep Chrome Socket 12mm
S20313	Deep Chrome Socket 13mm
S20314	Deep Chrome Socket 14mm
S20315	Deep Chrome Socket 15mm
S20316	Deep Chrome Socket 16mm
S20317	Deep Chrome Socket 17mm
S20318	Deep Chrome Socket 18mm
S20319	Deep Chrome Socket 19mm
1/2" DRIVE SAE 12 POINT STANDARD CHROME / DEEP SOCKETS	
S23212	Standard Chrome Socket 3/8"
S23214	Standard Chrome Socket 7/16"
S23216	Standard Chrome Socket 1/2"
S23218	Standard Chrome Socket 9/16"
S23220	Standard Chrome Socket 5/8"
S23222	Standard Chrome Socket 11/16"
S23224	Standard Chrome Socket 3/4"
S23226	Standard Chrome Socket 13/16"
S23228	Standard Chrome Socket 7/8"
S23230	Standard Chrome Socket 15/16"
S23232	Standard Chrome Socket 1"
S23234	Standard Chrome Socket 1-1/16"
S23236	Standard Chrome Socket 1-1/8"
S23238	Standard Chrome Socket 1-3/16"
S23240	Standard Chrome Socket 1-1/4"
S23310	Deep Chrome Socket 5/16"
S23312	Deep Chrome Socket 3/8"
S23314	Deep Chrome Socket 7/16"
S23316	Deep Chrome Socket 1/2"
S23318	Deep Chrome Socket 9/16"
S23320	Deep Chrome Socket 5/8"
S23322	Deep Chrome Socket 11/16"
S23324	Deep Chrome Socket 3/4"
S23326	Deep Chrome Socket 13/16"
S23328	Deep Chrome Socket 7/8"
S23330	Deep Chrome Socket 15/16"
S23332	Deep Chrome Socket 1"
1/2" DRIVE METRIC 12 POINT STANDARD CHROME / DEEP CHROME SOCKETS	
S24210	Standard Chrome Socket 10mm
S24211	Standard Chrome Socket 11mm
S24212	Standard Chrome Socket 12mm
S24213	Standard Chrome Socket 13mm
S24214	Standard Chrome Socket 14mm
S24215	Standard Chrome Socket 15mm
S24216	Standard Chrome Socket 16mm

Part No.	Description
S24217	Standard Chrome Socket 17mm
S24218	Standard Chrome Socket 18mm
S24219	Standard Chrome Socket 19mm
S24221	Standard Chrome Socket 21mm
S24222	Standard Chrome Socket 22mm
S24223	Standard Chrome Socket 23mm
S24224	Standard Chrome Socket 24mm
S24226	Standard Chrome Socket 26mm
S24227	Standard Chrome Socket 27mm
S24230	Standard Chrome Socket 30mm
S24232	Standard Chrome Socket 32mm
S24310	Deep Chrome Socket 10mm
S24311	Deep Chrome Socket 11mm
S24312	Deep Chrome Socket 12mm
S24313	Deep Chrome Socket 13mm
S24314	Deep Chrome Socket 14mm
S24315	Deep Chrome Socket 15mm
S24317	Deep Chrome Socket 17mm
S24318	Deep Chrome Socket 18mm
S24319	Deep Chrome Socket 19mm
S24321	Deep Chrome Socket 21mm
S24322	Deep Chrome Socket 22mm
S24324	Deep Chrome Socket 24mm
3/8" DRIVE SAE 6 POINT IMPACT SOCKETS	
S30010	Impact Socket 5/16"
S30012	Impact Socket 3/8"
S30014	Impact Socket 7/16"
S30016	Impact Socket 1/2"
S30018	Impact Socket 9/16"
S30020	Impact Socket 5/8"
S30022	Impact Socket 11/16"
S30024	Impact Socket 3/4"
3/8" DRIVE METRIC 6 POINT IMPACT SOCKETS	
S31006	Impact Socket 6mm
S31008	Impact Socket 8mm
S31010	Impact Socket 10mm
S31011	Impact Socket 11mm
S31012	Impact Socket 12mm
S31013	Impact Socket 13mm
S31014	Impact Socket 14mm
S31015	Impact Socket 15mm
S31016	Impact Socket 16mm
S31017	Impact Socket 17mm
S31018	Impact Socket 18mm
S31019	Impact Socket 19mm
1/2" DRIVE SAE 6 POINT STANDARD / DEEP IMPACT SOCKETS	
S32012	Impact Socket 3/8"
S32014	Impact Socket 7/16"



Part No.	Description
S32016	Impact Socket 1/2"
S32018	Impact Socket 9/16"
S32020	Impact Socket 5/8"
S32022	Impact Socket 11/16"
S32024	Impact Socket 3/4"
S32026	Impact Socket 13/16"
S32028	Impact Socket 7/8"
S32030	Impact Socket 15/16"
S32032	Impact Socket 1"
S32034	Impact Socket 1-1/16"
S32036	Impact Socket 1-1/8"
S32038	Impact Socket 1-3/16"
S32040	Impact Socket 1-1/4"
S32112	Deep Impact Socket 3/8"
S32114	Deep Impact Socket 7/16"
S32116	Deep Impact Socket 1/2"
S32118	Deep Impact Socket 9/16"
S32120	Deep Impact Socket 5/8"
S32122	Deep Impact Socket 11/16"
S32124	Deep Impact Socket 3/4"
S32126	Deep Impact Socket 13/16"
S32128	Deep Impact Socket 7/8"

Part No.	Description
S32130	Deep Impact Socket 15/16"
S32132	Deep Impact Socket 1"
S32134	Deep Impact Socket 1-1/16"
S32136	Deep Impact Socket 1-1/8"
S32138	Deep Impact Socket 1-3/16"
S32140	Deep Impact Socket 1-1/4"
S32142	Deep Impact Socket 1-5/16"
S32144	Deep Impact Socket 1-3/8"
S32146	Deep Impact Socket 1-7/16"
S32148	Deep Impact Socket 1-1/2"

1/2" DRIVE METRIC 6 POINT STANDARD / DEEP IMPACT SOCKETS

S33010	Impact Socket 10mm
S33011	Impact Socket 11mm
S33012	Impact Socket 12mm
S33013	Impact Socket 13mm
S33014	Impact Socket 14mm
S33015	Impact Socket 15mm
S33017	Impact Socket 17mm
S33018	Impact Socket 18mm
S33019	Impact Socket 19mm
S33020	Impact Socket 20mm
S33021	Impact Socket 21mm

Part No.	Description
S33022	Impact Socket 22mm
S33024	Impact Socket 24mm
S33027	Impact Socket 27mm
S33030	Impact Socket 30mm
S33032	Impact Socket 32mm
S33110	Deep Impact Socket 10mm
S33111	Deep Impact Socket 11mm
S33112	Deep Impact Socket 12mm
S33113	Deep Impact Socket 13mm
S33114	Deep Impact Socket 14mm
S33115	Deep Impact Socket 15mm
S33116	Deep Impact Socket 16mm
S33117	Deep Impact Socket 17mm
S33118	Deep Impact Socket 18mm
S33119	Deep Impact Socket 19mm
S33120	Deep Impact Socket 20mm
S33121	Deep Impact Socket 21mm
S33122	Deep Impact Socket 22mm
S33124	Deep Impact Socket 24mm
S33127	Deep Impact Socket 27mm
S33130	Deep Impact Socket 30mm
S33132	Deep Impact Socket 32mm

Part No.	Description
S33134	Deep Impact Socket 34mm
S33136	Deep Impact Socket 36mm


3/4" DRIVE SAE 6 POINT DEEP IMPACT SOCKETS

S34132	Deep Impact Socket 1"
S34134	Deep Impact Socket 1-1/16"
S34136	Deep Impact Socket 1-1/8"
S34140	Deep Impact Socket 1-1/4"
S34142	Deep Impact Socket 1-5/16"
S34144	Deep Impact Socket 1-3/8"
S34146	Deep Impact Socket 1-7/16"
S34148	Deep Impact Socket 1-1/2"

3/4" DRIVE METRIC 6 POINT DEEP IMPACT SOCKETS

S35126	Deep Impact Socket 26mm
S35127	Deep Impact Socket 27mm
S35130	Deep Impact Socket 30mm
S35132	Deep Impact Socket 32mm
S35133	Deep Impact Socket 33mm
S35135	Deep Impact Socket 35mm
S35136	Deep Impact Socket 36mm
S35138	Deep Impact Socket 38mm

1/4" DRIVE TINY BONE 5 IN 1 RATCHET HANDLE



Part No.	Description
S39001	Proffered 1/4" Drive Tiny Bone 5 in 1 Ratchet Handle



SOCKET ACCESSORIES & RATCHETS



Part No.	Description
S40001	1/4" Drive Pear Ratchet Handle 72 Teeth 4.5"
S40101	3/8" Drive Pear Ratchet Handle 72 Teeth 8"
S40201	1/2" Drive Pear Ratchet Handle 60 Teeth 10"
S41101	3/8" Drive Flex Handle (Breaker Bar) 10"
S41201	1/2" Drive Flex Handle (Breaker Bar) 15"
S42101	3/8" Drive Cobra Flex Handle (Breaker Bar) 8"
S42201	1/2" Drive Cobra Flex Handle (Breaker Bar) 10"
S43001	1/4" Drive Extension Bar 2"
S43002	1/4" Drive Extension Bar 4"
S43003	1/4" Drive Extension Bar 6"

Part No.	Description
S43101	3/8" Drive Extension Bar 3"
S43102	3/8" Drive Extension Bar 6"
S43103	3/8" Drive Extension Bar 10"
S43201	1/2" Drive Extension Bar 5"
S43202	1/2" Drive Extension Bar 10"
S43203	1/2" Drive Extension Bar 20"
S44101	3/8" Drive Impact Extension Bar 3"
S44102	3/8" Drive Impact Extension Bar 6"
S44201	1/2" Drive Impact Extension Bar 5"
S44202	1/2" Drive Impact Extension Bar 10"



Part No.	Description
S45001	1/4" Drive Universal Joint
S45101	3/8" Drive Universal Joint
S45201	1/2" Drive Universal Joint
S46101	3/8" Impact Universal Joint
S46201	1/2" Impact Universal Joint
S47101	3/8" F - 1/4" M Adapter

Part No.	Description
S47102	3/8" F - 1/2" M Adapter
S47201	1/2" F - 3/8" M Adapter
S47202	1/2" F - 3/4" M Adapter
S49001	1/4" Drive Magnetic Aluminum Socket Rail 12" Length with 15 Clips
S49101	3/8" Drive Magnetic Aluminum Socket Rail 17" Length with 15 Clips
S49201	1/2" Drive Magnetic Aluminum Socket Rail 19" Length with 15 Clips

HAND-OPERATED RIVET TOOL

NOSEPIECE: 3/32", 1/8", 5/32", 3/16"

Features

- Chrome steel and heat treated jaw & jaw case.
- High grade aluminum die cast housing.
- Carbon steel forged & heat treated handle.

Part No.	Description
T01002	HR-705 Proffered Hand Operated Rivet Tool 2 Jaw Nosepiece 3/32", 1/8", 5/32", 3/16"



HAND-OPERATED LEVER TOOL

NOSEPIECE: 1/8", 5/32", 3/16", 7/32", 1/4"

Features

- Lever design reduces physical strength for all rivet sizes.
- Grip design for comfort, safety and utility.

Part No.	Description
T01003	HR-730 Proffered Hand Operated Lever Tool 3 Jaw Nosepiece 1/8", 5/32", 3/16", 7/32", 1/4"



AVIATION SNIP

STRAIGHT CUT, LEFT CUT, RIGHT CUT, NOTCH CUT, LONG CUT

Features

- Cuts up 1.2mm cold rolled steel or 0.7mm AISI-304 stainless steel.
- Meets or exceeds industry specification ANSI/ASME B107.16-1998.
- Quick and simple spring-free automatic latch design (one hand release) offers additional safety.
- Serrated blades, induction hardened.
- Drop forged Chrome-Molybdenum Alloy steel blades.

Part No.	Description
T02001	Proffered Aviation Snips Straight Cut
T02002	Proffered Aviation Snips Left Cut
T02003	Proffered Aviation Snips Right Cut



Part No.	Description
T02004	Proffered Aviation Snips Notch Cut
T02005	Proffered Aviation Snips Long Cut

HEAVY DUTY ADJUSTABLE WRENCH INDUSTRIAL BLACK PHOSPHATE

LENGTH: 6", 8", 10", 12", 15", 18", 24"

Features

- Raised head design prevents unintended change to the opening width of jaw while wrench is laid flat. Available in 6"-15".
- 15 degree offset allows for ease of use in tight working areas.
- Thin jaw improves access in tight spaces.
- Wider grip opening design allows for wider range of fastener sizes.

Part No.	Description
T05042	Proffered 6" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05043	Proffered 8" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05044	Proffered 10" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05045	Proffered 12" Heavy Duty Adjustable Wrench Industrial Black Phosphate



Part No.	Description
T05046	Proffered 15" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05007	Proffered 18" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05009	Proffered 24" Heavy Duty Adjustable Wrench Industrial Black Phosphate

HEAVY DUTY ADJUSTABLE WRENCH CHROME FINISH

LENGTH: 4", 6", 8", 10", 12", 15", 18", 24"

Features

- Raised head design prevents unintended change to the opening width of jaw while wrench is laid flat. Available in 6"-15".
- 15 degree offset allows for ease of use in tight working areas.
- Thin jaw improves access in tight spaces.
- Wider grip opening design allows for wider range of fastener sizes.

Part No.	Description
T05011	Proffered 4" Heavy Duty Adjustable Wrench Chrome Finish
T05052	Proffered 6" Heavy Duty Adjustable Wrench Chrome Finish
T05053	Proffered 8" Heavy Duty Adjustable Wrench Chrome Finish
T05054	Proffered 10" Heavy Duty Adjustable Wrench Chrome Finish



Part No.	Description
T05055	Proffered 12" Heavy Duty Adjustable Wrench Chrome Finish
T05056	Proffered 15" Heavy Duty Adjustable Wrench Chrome Finish
T05017	Proffered 18" Heavy Duty Adjustable Wrench Chrome Finish
T05019	Proffered 24" Heavy Duty Adjustable Wrench Chrome Finish

TIGER'S PAW™ ADJUSTABLE WRENCH WITH PADDED HANDLE

LENGTH: 6", 8", 10", 12"

Features

- Head triangle increased hardness - HRC 3 degrees.
- The hole design reduces overall weight by 10%, eliminating physical stress.
- Jaw teeth protects the corners of the nuts, while reducing slippage at the same time.
- Anti-slip TPR material ensures a comfortable grip.

Part No.	Description
T06002	Proffered 6" Tiger's Paw™ Adjustable Wrench w/ Padded Handle
T06003	Proffered 8" Tiger's Paw™ Adjustable Wrench w/ Padded Handle



Part No.	Description
T06004	Proffered 10" Tiger's Paw™ Adjustable Wrench w/ Padded Handle
T06005	Proffered 12" Tiger's Paw™ Adjustable Wrench w/ Padded Handle

QUICK SNAP ADJUSTABLE WRENCH

LENGTH: 8"

Features

- Greater jaw capacity
- Quick release jaw allows for fast setting with one easy pull.
- Dual teeth fits SAE and Metric fastener specifications.
- Micro-adjusting the movable pad allows the knurl to adjust the jaw opening. Convenient and 5-times faster operation.

Part No.	Description
T07001	Proffered 8" Quick Snap Adjustable Wrench



PLUMBING ADJUSTABLE WRENCH

LENGTH: 6", 8", 10", 12"

Features

- Ideal for plumbing, automotive and gas industries.
- Super thin head allows for use in limited and narrow spaces.
- Greater jaw capacity allows 55% wider opening than traditional wrench.
- Jaw depth is 30% higher than general wrench.

Part No.	Description
T08001	Proffered 6" Plumbing Adjustable Wrench, Maximum Jaw Opening: 1.34"
T08002	Proffered 8" Plumbing Adjustable Wrench, Maximum Jaw Opening: 1.5"



Part No.	Description
T08003	Proffered 10" Plumbing Adjustable Wrench, Maximum Jaw Opening: 2.0"
T08004	Proffered 12" Plumbing Adjustable Wrench, Maximum Jaw Opening: 2.44"

RATCHETING ADJUSTABLE WRENCH

LENGTH: 8"

Features

- Combination function ratcheting and adjusting.
- Efficient ratcheting function offers greater efficiency compared to conventional wrenches.
- Anti-slip comfort grip design TPR material handle with ridged design ensures a strong grip and prevents slippage.

Part No.	Description
T09002	Proffered 8" Ratcheting Adjustable Wrench



MINING ADJUSTABLE WRENCH WITH HAMMER

LENGTH: 12"

Features

- 5 tools in 1: adjustable wrench, pipe wrench, hammer, 7/8" ratcheting box end, 1/2" drive ratcheting wrench
- Rust resistant SAE 6140 Steel.
- Fully heat treated, hot forged handle.
- Ergonomically designed for a comfortable hand grip.
- Wrench comes with a dual hide holster belt clip with chain for additional tool attachments.

Part No.	Description
T11001	Proffered 12" Mining Adjustable Wrench w/ Hammer



PIPE WRENCH

Features

- Forged steel.
- Long weighted handle for stability and leverage.
- 14" can take a 2" diameter pipe.
- 18" can take a 2-1/2" diameter pipe.

Part No.	Description
T11014	Proffered Pipe Wrench 14"



Part No.	Description
T11018	Proffered Pipe Wrench 18"

HIGH LEVERAGE HEAVY DUTY LINEMAN'S PLIERS, TPR GRIP

LENGTH: 8.5", 9.5"

Features

- Superior diamond teeth design for greater gripping ability.
- Special high leverage design for increased cutting power.
- Hardened cutting edge cuts various types of wires.
- Ergonomic. Anti-fatigue comfort grip.

Part No.	Description
T15001	Proffered 8.5" High Leverage Heavy Duty Lineman's Pliers, TPR Grip



Part No.	Description
T15002	Proffered 9.5" High Leverage Heavy Duty Lineman's Pliers, TPR Grip

STRAIGHT JAW GROOVE JOINT PLIERS, COATED GRIP

LENGTH: 8", 10", 12", 16", 20"

Features

- Wide range of jaw adjustments and machined jaw grooves.
- Lay-on slip-joint.
- Non-slip cushion grips.

Part No.	Description
T16001	Proffered 8" Straight Jaw Groove Joint Pliers, Coated Grip
T16002	Proffered 10" Straight Jaw Groove Joint Pliers, Coated Grip
T16003	Proffered 12" Straight Jaw Groove Joint Pliers, Coated Grip



Part No.	Description
T16004	Proffered 16" Straight Jaw Groove Joint Pliers, Coated Grip
T16005	Proffered 20" Straight Jaw Groove Joint Pliers, Coated Grip



DIAGONAL CUTTING PLIERS, TPR GRIP

LENGTH: 6"

Features

- Hardened cutting edge cuts various types of wires and extends cutting edge life cycle.
- Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T17001	Proffered 6" Diagonal Cutting Pliers, TPR Grip (Non-Heavy Duty)



HIGH LEVERAGE HEAVY DUTY DIAGONAL PLIERS, TPR GRIP

LENGTH: 7", 8"

Features

- Special high leverage design for increased cutting power.
- Hardened cutting edge cuts various types of wires and extends cutting edge life cycle.
- Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T18002	Proffered 7" High Leverage Heavy Duty Diagonal Pliers, TPR Grip



Part No.	Description
T18003	Proffered 8" High Leverage Heavy Duty Diagonal Pliers, TPR Grip

SIDE CUTTING LONG NOSE PLIERS, TPR GRIP

LENGTH: 6", 7"

Features

- Superior diamond teeth design allows for greater gripping ability.
- Hardened cutting edge cuts various types of wires.
- Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T19001	Proffered 6" Side Cutting Long Nose Pliers, TPR Grip



Part No.	Description
T19002	Proffered 7" Side Cutting Long Nose Pliers, TPR Grip

LONE NOSE PLIERS WITHOUT CUTTER, TPR GRIP

LENGTH: 6"

Features

- Special design improves access in tight and narrow spaces.
- Superior diamond teeth design allows for greater gripping ability.
- Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T20001	Proffered 6" Long Nose Pliers without Cutter, TPR Grip (Non-Heavy Duty)



ALL PURPOSE 7 IN 1 ANGLE NOSE PLIERS

LENGTH: 8"

Features

- Crimps & strips crimps 10-22 AWG terminals and connectors.
- Strips 10-14 AWG solid and 12-16 AWG wire.
- Bolt cutter #6, #8.
- Diamond tooth design allows for greater gripping ability.
- Induction-hardened cutting edges for hard & soft wire cutting.
- Angled head design allows for overall greater flexibility.
- Thumb lock: Locking mechanism on grip handles.
- Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T20101	Proffered All Purpose 7 in 1 Angle Nose Pliers





SLIP JOINT PLIERS, TPR GRIP

LENGTH: 6.5", 8"

Features

- Two functioning positions adjustment lay-on and single rivet joint.
- Serrated jaws.
- Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T21001	Proffered 6.5" Slip Joint Pliers, TPR Grip



Part No.	Description
T21002	Proffered 8" Slip Joint Pliers, TPR Grip

STRIPPER/CRIMPER SPECIALTY PLIERS

Features

- Multi-purpose crimp tool for non-insulated lugs and terminals 10-22 AWG and pre-insulated 10-22 AWG, including a wire cutter, bolt cutter and wire stripper 10-22 AWG.
- Hardened carbon steel with black oxide finish.
- Precise CNC ground fabricated blades for consistent stripping and cutting.
- Crimping ignition terminals 7-8mm.
- Soften anti-slip cushioned grips.

Part No.	Description
T22011	Proffered Stripper/Crimper Specialty Pliers



CURVED JAW LOCKING PLIERS

Features

- Cr-Mo steel jaw, Cr-Mo steel handle.
- Body heat treated.
- Welding, nickel-plated.
- Easy release grip.
- Knurled torque adjustment screw.

Part No.	Description
T23007	Proffered Curved Jaw Locking Pliers 7"



Part No.	Description
T23010	Proffered Curved Jaw Locking Pliers 10"

LOCKING C-CLAMP

Features

- Constructed from high grade, chrome vanadium steel, providing superior strength and durability.
- Hardened teeth for gripping power and longevity.
- Curved jaw design allows for a variety of material applications and shapes.
- Quick adjust and release.
- Nickel plated for maximum corrosion resistance.

Part No.	Description
T23100	Proffered Locking C-Clamp 6"



Part No.	Description
T23211	Proffered Locking C-Clamp with swivel pads 11"

LONG NOSE JAW LOCKING PLIERS

Features

- Cr-Mo steel jaw, Cr-Mo steel handle.
- Body heat treated.
- Welding, nickel-plated.
- Easy release grip.
- Knurled torque adjustment screw.
- With wire cutter.

Part No.	Description
T23409	Proffered Long Nose Jaw Locking Pliers 9"






ACETATE CUSHION GRIP SCREWDRIVER

SLOTTED: 3/16"x4", 3/16"x6", 1/4"x4", 1/4"x6", 1/4"x8"
PHILLIPS: #1x4", #2x4", #2x6", #2x8", #3x6", #3x8"

Features

- Treated tip ensures perfect fit.
- Cellulose acetate material provides highest performance.
- Color coded handle for visual identification of Slotted and Phillips.
- TPV cushion grip provides slip resistance to chemical, oil and most solvents.

Part No.	Description
T25007	Preferred 3/16"x4" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25008	Preferred 3/16"x6" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25011	Preferred 1/4"x4" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25012	Preferred 1/4"x6" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25013	Preferred 1/4"x8" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25036	Preferred No.1x4" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)



Part No.	Description
T25040	Preferred No.2x4" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
T25041	Preferred No.2x6" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
T25042	Preferred No.2x8" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
T25044	Preferred No.3x6" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
T25045	Preferred No.3x8" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)

GO-THRU SCREWDRIVER

SLOTTED: 1/4"x4", 1/4"x6", 5/16"x6", 5/16"x8"
PHILLIPS: #2x4", #2x6", #3x6", #3x8"

Features

- Go-thru designed screwdriver can absorb vibration produced during impact.
- Hexagonal shape Shank can withstand higher impact force.
- Dual material PP & TPV cushion grip provides slip resistance to chemical, oil and most solvents.
- Color coded handle for visual identification of Slotted and Phillips.

Part No.	Description
T26002	Preferred 1/4"x4" Go-Thru Screwdriver Slotted (Red Handle)
T26003	Preferred 1/4"x6" Go-Thru Screwdriver Slotted (Red Handle)
T26004	Preferred 5/16"x6" Go-Thru Screwdriver Slotted (Red Handle)
T26005	Preferred 5/16"x8" Go-Thru Screwdriver Slotted (Red Handle)



Part No.	Description
T26012	Preferred No.2x4" Go-Thru Screwdriver Phillips (Blue Handle)
T26013	Preferred No.2x6" Go-Thru Screwdriver Phillips (Blue Handle)
T26014	Preferred No.3x6" Go-Thru Screwdriver Phillips (Blue Handle)
T26015	Preferred No.3x8" Go-Thru Screwdriver Phillips (Blue Handle)

INSULATED (1000V) SCREWDRIVER

SLOTTED: 3/32"x3", 1/8"x4", 7/32"x5", 1/4"x6", 5/16"x7"
PHILLIPS: #0x2-3/8", #1x3-3/16", #2x4", #3x6"



Features

- Patented dual layer design provides greater protection against electric shock.
- Dual material PP & TPV cushion grip provides slip resistance to chemical, oil and most solvents.

Part No.	Description
T27004	Preferred 7/32"x5" Insulated (1000V) Screwdriver Slotted
T27005	Preferred 1/4"x6" Insulated (1000V) Screwdriver Slotted
T27006	Preferred 5/16"x7" Insulated (1000V) Screwdriver Slotted



Part No.	Description
T27022	Preferred No.1x3-3/16" Insulated (1000V) Screwdriver Phillips
T27023	Preferred No.2x4" Insulated (1000V) Screwdriver Phillips
T27024	Preferred No.3x6" Insulated (1000V) Screwdriver Phillips

6 PIECE ACETATE CUSHION GRIP SCREWDRIVER SET

Features

- Treated tip ensures perfect fit.
- Cellulose acetate material provides highest performance.
- Color coded handle for visual identification of Slotted and Phillips.
- TPV cushion grip provides slip resistance to chemical, oil and most solvents.



Part No.	Description
T28001	PROFFERED 6 PIECE SCREWDRIVER SET Slotted: 3/16"x3", 3/16"x6", 1/4"x4", 5/16"x6", Phillips: No.1x3", No.2x4"

5 PIECE TORX® SCREWDRIVER SET

Features

- Treated tip ensures perfect fit.
- Cellulose acetate material provides highest performance.
- TPV cushion grip provides slip resistance to chemical, oil and most solvents.



Part No.	Description
T28002	PROFERRED 5 PIECE TORX® SCREWDRIVER SET T10x4", T15x4", T20x4", T25x4", T30x4"

7 PIECE HOLLOW Shank NUT DRIVER SET

Features

- Treated tip ensures perfect fit.
- Cellulose acetate material provides highest performance.
- TPV cushion grip provides slip resistance to chemical, oil and most solvents.



Part No.	Description
T28003	PROFERRED 7 PIECE HOLLOW SHANK NUT DRIVER SET 3/16"x3", 1/4"x3", 5/16"x3", 11/32"x3", 3/8"x3", 7/16"x3", 1/2"x3"

4 PIECE INSULATED (1000V) SCREWDRIVER SET

Features

- Patented dual layer design provides greater protection against electric shock.
- Dual material PP & TPV cushion grip provides slip resistance to chemical, oil and most solvents.



Part No.	Description
T28004	PROFERRED 4 PIECE INSULATED 1000V SCREWDRIVER SET Slotted: 1/4"x6", 5/16"x7", Phillips: No. 1x3-3/16", No. 2X4"

5 IN 1 STUBBY BIT DRIVE SET

Features

- High torque coefficient will prevent the screwdriver from breaking when the tool is overstressed.
- Cellulose acetate material provides highest performance.
- TPV cushion grip provides slip resistance to chemical, oil and most solvents.



Part No.	Description
T29001	PROFERRED 5 IN 1 STUBBY BIT DRIVE SET Stubby Bit Holder Driver, Phillips Bits: #1, #2, Slotted Bits: 3/16", 1/4", Nut Driver: 1/4"

9 IN 1 REGULAR BIT DRIVE SET

Features

- High torque coefficient will prevent the screwdriver from breaking when the tool is overstressed.
- Cellulose acetate material provides highest performance.
- TPV cushion grip provides slip resistance to chemical, oil and most solvents.



Part No.	Description
T29002	PROFERRED 9 IN 1 REGULAR BIT DRIVE SET Regular Bit Holder Driver, Phillips Bits: #1, #2, Slotted Bits: 3/16", 1/4", TORX® Bits: T15, T20, Nut Drivers: 1/4", 5/16", 3/8"

14 IN 1 PRECISION BIT DRIVE SET

Features

- Bit holder driver's locking system holds the blade at desired length during use.
- Phillips
- Slotted
- TORX®
- Hex



Part No.	Description
T29003	PROFERRED 14 IN 1 PRECISION BIT DRIVE SET Phillips Bits: #000, #00, #0, Slotted Bits: 1/16", 5/64", 1/8", TORX® Bits: T5, T6, T7, T8, Hex Bits: 5/64", 3/32" 1/8", 5/32"



19 IN 1 RATCHETING SCREWDRIVER DRIVE SET

Features

- Torque the torque is above 390lbs-in.
- Ratchet: The ratchet permits high-speed action with grip adjustments and can be combined with popular driver ends.
- The perfect handle design allows the handle to disperse the pressure evenly when applying force.



Part No.	Description
T29004	PROFFERED 19 IN 1 RATCHETING SCREWDRIVER DRIVE SET Ratcheting Handle with Storage, Phillips Bits: #1, #2, #3, Slotted Bits: 3/16", 1/4", 5/16", TORX® Bits: T15, T20, T25, T30, Square Bits: #1, #2, Hex Bits: 1/8", 5/32", 3/16", 1/4", Nut Drivers: 1/4", 5/16", 7/16"

8 PIECE T-HANDLE HEX KEY SET SAE 5/64"-3/8"

Features

- Ergonomic smooth shape.
- Size identification molded handle.
- Handles proportioned to size.
- Molded black soft t-grip handle for lasting comfort.
- Through hardened durability.
- Chrome vanadium steel (CR-V).
- SAE open stock.



Part No.	Description
T34001	PROFFERED 8 PIECE T-HANDLE HEX KEY SET (SAE 5/64"-3/8")

Part No.	Description	Part No.	Description
T37001	Proffered T-Handle Hex Key 5/64"	T37005	Proffered T-Handle Hex Key 3/16"
T37002	Proffered T-Handle Hex Key 3/32"	T37007	Proffered T-Handle Hex Key 1/4"
T37003	Proffered T-Handle Hex Key 1/8"	T37008	Proffered T-Handle Hex Key 5/16"
T37004	Proffered T-Handle Hex Key 5/32"	T37009	Proffered T-Handle Hex Key 3/8"

8 PIECE T-HANDLE HEX KEY SET METRIC 2MM-10MM

Features

- Ergonomic smooth shape.
- Size identification molded handle.
- Handles proportioned to size.
- Molded black soft t-grip handle for lasting comfort.
- Through hardened durability.
- Chrome vanadium steel (CR-V).
- Metric open stock.



Part No.	Description
T34101	PROFFERED 8 PIECE T-HANDLE HEX KEY SET (METRIC 2MM-10MM)

Part No.	Description	Part No.	Description
T37101	Proffered T-Handle Hex Key 2.0mm	T37105	Proffered T-Handle Hex Key 5.0mm
T37102	Proffered T-Handle Hex Key 2.5mm	T37106	Proffered T-Handle Hex Key 6.0mm
T37103	Proffered T-Handle Hex Key 3.0mm	T37107	Proffered T-Handle Hex Key 8.0mm
T37104	Proffered T-Handle Hex Key 4.0mm	T37108	Proffered T-Handle Hex Key 10.0mm

LONG ARM BALL POINT HEX KEY SET

SAE: 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 INCH
METRIC: 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 MM

Features

- Integration of ergonomic double-layer holder: Holder marked for easy identification of the dimensions.
- Unique rotating function.
- Up to 25° angle entry.



Part No.	Description	Part No.	Description
T35002	Proffered 13 Pieces Long Arm Ball Point Hex Key Set (SAE)	T35005	Proffered 12 Pieces Long Arm Ball Point Hex Key Set (Metric)

20 PIECE SHORT ARM HEX KEY SET

SAE: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 INCH
METRIC: 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 MM

Features

- ABS storage case.
- Clear long lasting marking.
- Dual case: SAE and METRIC hex key in one box.



Part No.	Description
T36001	Proffered 20 Piece Short Arm Hex Key Set

STEEL STAPLE GUN TACKER / HAMMER TACKER

Features

- Bottom loading magazine.
- Durable all-steel construction.
- Ergonomic handle grip.



Part No.	Description
T40001	Proffered Steel Staple Gun Tacker
T41001	Proffered Hammer Tacker
T42001	Proffered Staples 1/4" (6mm) Height, 1.2mm Thick, 10.6mm Wide
T42002	Proffered Staples 5/16" (8mm) Height, 1.2mm Thick, 10.6mm Wide

Part No.	Description
T42003	Proffered Staples 3/8" (10mm) Height, 1.2mm Thick, 10.6mm Wide
T42004	Proffered Staples 1/2" (12mm) Height, 1.2mm Thick, 10.6mm Wide
T42005	Proffered Staples 9/16" (14mm) Height, 1.2mm Thick, 10.6mm Wide

FLEX RATCHETING WRENCH

SAE: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 INCH
METRIC: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 MM

Features

- Torque capability is 30% greater than ANSI industrial standard.
- 72 teeth ratcheting box end needs only 5 degrees swing arc versus 30 degrees for standard box end wrenches.
- Durability quality chrome vanadium steel. Precision heat treated for maximum strength.
- Flex head tilts up to 180 degrees.



Part No.	Description
T44008	Proffered 1/4" Flex Ratcheting Wrench
T44010	Proffered 5/16" Flex Ratcheting Wrench
T44012	Proffered 3/8" Flex Ratcheting Wrench
T44014	Proffered 7/16" Flex Ratcheting Wrench
T44016	Proffered 1/2" Flex Ratcheting Wrench
T44018	Proffered 9/16" Flex Ratcheting Wrench
T44020	Proffered 5/8" Flex Ratcheting Wrench
T44022	Proffered 11/16" Flex Ratcheting Wrench
T44024	Proffered 3/4" Flex Ratcheting Wrench
T44100	Proffered 8mm Flex Ratcheting Wrench
T44101	Proffered 9mm Flex Ratcheting Wrench

Part No.	Description
T44102	Proffered 10mm Flex Ratcheting Wrench
T44103	Proffered 11mm Flex Ratcheting Wrench
T44104	Proffered 12mm Flex Ratcheting Wrench
T44105	Proffered 13mm Flex Ratcheting Wrench
T44106	Proffered 14mm Flex Ratcheting Wrench
T44107	Proffered 15mm Flex Ratcheting Wrench
T44108	Proffered 16mm Flex Ratcheting Wrench
T44109	Proffered 17mm Flex Ratcheting Wrench
T44110	Proffered 18mm Flex Ratcheting Wrench
T44111	Proffered 19mm Flex Ratcheting Wrench



COMBINATION WRENCHES

Features

- Precision: manufactured to ANSI & DIN industrial standards.
- Durability: quality chrome vanadium steel. Precision heat treated and drop forged for maximum strength.
- Visibility: larger marking for easy size identification.



T45001



T45002



T45003

Part No.	Description
T45001	Proffered 9 Pieces Combination Wrenches Set (1/4" - 3/4")
T45002	Proffered 14 Pieces Combination Wrenches Set (3/8" - 1 1/4")
T45003	Proffered 4 Pieces Combination Wrenches Set (1 5/16", 1 3/8", 1 7/16", 1 1/2")
T46005	Proffered 1/4" Combination Wrench, 12 Pt.
T46007	Proffered 5/16" Combination Wrench, 12 Pt.
T46009	Proffered 3/8" Combination Wrench, 12 Pt.
T46010	Proffered 7/16" Combination Wrench, 12 Pt.
T46011	Proffered 1/2" Combination Wrench, 12 Pt.
T46012	Proffered 9/16" Combination Wrench, 12 Pt.
T46013	Proffered 5/8" Combination Wrench, 12 Pt.
T46014	Proffered 11/16" Combination Wrench, 12 Pt.
T46015	Proffered 3/4" Combination Wrench, 12 Pt.

Part No.	Description
T46016	Proffered 13/16" Combination Wrench, 12 Pt.
T46017	Proffered 7/8" Combination Wrench, 12 Pt.
T46018	Proffered 15/16" Combination Wrench, 12 Pt.
T46019	Proffered 1" Combination Wrench, 12 Pt.
T46020	Proffered 1-1/16" Combination Wrench, 12 Pt.
T46021	Proffered 1-1/8" Combination Wrench, 12 Pt.
T46023	Proffered 1-1/4" Combination Wrench, 12 Pt.
T46024	Proffered 1-5/16" Combination Wrench, 12 Pt.
T46025	Proffered 1-3/8" Combination Wrench, 12 Pt.
T46026	Proffered 1-7/16" Combination Wrench, 12 Pt.
T46027	Proffered 1-1/2" Combination Wrench, 12 Pt.

14 PIECE 12 POINT COMBINATION WRENCH SET METRIC 8MM-22MM

Features

- Drop Forged and precision heat treated for maximum strength.
- Manufactured to ANSI & DIN industrial standards.
- High visibility with larger marking for easy size identification.
- Open stock wrenches.



Part No.	Description
T45102	PROFFERED 14 PIECE 12 POINTS PROFFERED COMBINATION WRENCH SET METRIC

Part No.	Description	Part No.	Description
T46108	Proffered 8mm 12 Points Combination Wrench, Chrome Finish	T46116	Proffered 16mm 12 Points Combination Wrench, Chrome Finish
T46110	Proffered 10mm 12 Points Combination Wrench, Chrome Finish	T46117	Proffered 17mm 12 Points Combination Wrench, Chrome Finish
T46111	Proffered 11mm 12 Points Combination Wrench, Chrome Finish	T46118	Proffered 18mm 12 Points Combination Wrench, Chrome Finish
T46112	Proffered 12mm 12 Points Combination Wrench, Chrome Finish	T46119	Proffered 19mm 12 Points Combination Wrench, Chrome Finish
T46113	Proffered 13mm 12 Points Combination Wrench, Chrome Finish	T46120	Proffered 20mm 12 Points Combination Wrench, Chrome Finish
T46114	Proffered 14mm 12 Points Combination Wrench, Chrome Finish	T46121	Proffered 21mm 12 Points Combination Wrench, Chrome Finish
T46115	Proffered 15mm 12 Points Combination Wrench, Chrome Finish	T46122	Proffered 22mm 12 Points Combination Wrench, Chrome Finish



CALIFORNIA FRAMING/RIPPING CLAW CURVED CLAW/DRYWALL/BALL PEEN HAMMERS

Features

- Head material 1055 medium carbon steel.
- Forged ball peen hammer head (T49073/T49074).
- Natural hickory handle.



Part No.	Description
T49001	Proffered 21 oz California Framing Hammer
T49013	Proffered 20 oz Ripping Claw Hammer
T49024	Proffered 16 oz Curved Claw Hammer

Part No.	Description
T49051	Proffered 12 oz Drywall Hammer
T49073	Proffered Hickory Ball Peen Hammer (12oz)
T49074	Proffered Hickory Ball Peen Hammer (16oz)

3 LB ONE PIECE FORGED CLUB HAMMER

Features

- Head material 1055 medium carbon steel.
- Head finish metallic finish, polished striking face.
- Designed to reduce vibration.
- Solid steel Head design creates less vibration.
- Double injection grip provides great comfort.

Part No.	Description
T49032	Proffered 3 LB One Piece Forged Club Hammer



16 oz RUBBER MALLET

Features

- Head material black natural rubber.
- Natural hickory handle.

Part No.	Description
T49063	Proffered 16 oz Rubber Mallet



20 PIECE SLOTTED DRIVE BITS

SLOTTED SIZE: 4F-5R x 1" TO 20F-22R x 1-1/4"

Features

- S2 steel.
- Durable plastic storage case.

Part No.	Description
T52004	Proffered 20 Piece Slotted Drive Bits 4F-5R x 1", 1/4" Hex Shank Blade Thickness: 0.033", Blade Width: 0.182"
T52005	Proffered 20 Piece Slotted Drive Bits 5F-6R x 1", 1/4" Hex Shank Blade Thickness: 0.036", Blade Width: 0.232"
T52006	Proffered 20 Piece Slotted Drive Bits 6F-7R x 1", 1/4" Hex Shank Blade Thickness: 0.039", Blade Width: 0.245"
T52007	Proffered 20 Piece Slotted Drive Bits 8F-10R x 1", 1/4" Hex Shank Blade Thickness: 0.042", Blade Width: 0.279"
T52008	Proffered 20 Piece Slotted Drive Bits 10F-12R x 1", 1/4" Hex Shank Blade Thickness: 0.041", Blade Width: 0.281"

Part No.	Description
T52009	Proffered 20 Piece Slotted Drive Bits 12F-14R x 1", 1/4" Hex Shank Blade Thickness: 0.047", Blade Width: 0.327"
T52010	Proffered 20 Piece Slotted Drive Bits 14F-16R x 1", 1/4" Hex Shank Blade Thickness: 0.053", Blade Width: 0.374"
T52011	Proffered 20 Piece Slotted Drive Bits 16F-20R x 1-1/4", 5/16" Hex Bull Nose Shank Blade Thickness: 0.079", Blade Width: 0.500"
T52012	Proffered 20 Piece Slotted Drive Bits 20F-22R x 1-1/4", 5/16" Hex Bull Nose Shank Blade Thickness: 0.098", Blade Width: 0.551"



PHR-2 PHILLIPS DRIVE BIT

Features

- Designed specifically for installing drywall screws.
- Phillips tip is slightly reduced in size, allowing the bit to fully engage and sit tighter within the drywall screw drive recess.
- Less wobble and faster install times.

Part No.	Description
926918	Proffered PHR-2 Phillips Drive Bit



BIT HOLDER SCREWDRIVER BITS

Features

- Stainless steel.
- Magnetic.
- For all 1/4" Hex Insert Bits.

Part No.	Description
T14100	3" Bit Holder (1PC Construction) with Ring
T14101	4" Bit Holder (1PC Construction) with Ring




Part No.	Description
T14102	6" Bit Holder (1PC Construction) with Ring

MAGNETIC NUTSETTERS

Features

- 1pc. construction.
- Industrial grade magnet.
- 1/4" hex power shank.

Part No.	Description
T51001	3/16" Drive, 1 3/4", 1/4" Hex Shank
T51003	1/4" Drive, 1 3/4", 1/4" Hex Shank
T51005	5/16" Drive, 1 3/4", 1/4" Hex Shank
T51006	3/8" Drive, 1 3/4", 1/4" Hex Shank
T51008	1/2" Drive, 1 3/4", 1/4" Hex Shank
T51009	9/16" Drive, 1 3/4", 1/4" Hex Shank
T51100	1/4" x 2-9/16" Magnetic Nutsetter



Part No.	Description
T51101	5/16" x 2-9/16" Magnetic Nutsetter
T51102	3/8" x 2-1/8" Magnetic Nutsetter
T51103	3/8" x 2-9/16" Magnetic Nutsetter
T51104	7/16" x 1-3/4" Magnetic Nutsetter
T51105	7/16" x 2-9/16" Magnetic Nutsetter
T51106	1/2" x 2-9/16" Magnetic Nutsetter

LAG DRIVER / CEILING TILE HANGER DRIVER

Features

- For all 1/4" hex insert bits.

Part No.	Description
T51107	7/16" Lag Driver with Sleeve



IMPACT MAGNETIC NUTSETTERS

Features

- Made for powerful impact drivers / wrenches.
- 1pc construction.
- Industrial grade magnet.
- 1/4" hex power shank.

Part No.	Description
T51200	1/4" x 1-3/4" Impact Magnetic Nutsetter
T51201	1/4" x 2-9/16" Impact Magnetic Nutsetter
T51202	1/4" x 4" Impact Magnetic Nutsetter
T51203	1/4" x 6" Impact Magnetic Nutsetter
T51204	5/16" x 1-3/4" Impact Magnetic Nutsetter
T51205	5/16" x 2-9/16" Impact Magnetic Nutsetter
T51206	5/16" x 4" Impact Magnetic Nutsetter
T51207	5/16" x 6" Impact Magnetic Nutsetter
T51208	3/8" x 1-3/4" Impact Magnetic Nutsetter



Part No.	Description
T51209	3/8" x 2-9/16" Impact Magnetic Nutsetter
T51210	3/8" x 4" Impact Magnetic Nutsetter
T51211	3/8" x 6" Impact Magnetic Nutsetter
T51303	1/4" Drive, 4", 1/4" Hex Shank
T51305	5/16" Drive, 4", 1/4" Hex Shank
T51306	3/8" Drive, 4", 1/4" Hex Shank
T51308	1/2" Drive, 4", 1/4" Hex Shank
T51309	9/16" Drive, 4", 1/4" Hex Shank



PHILLIPS DRIVE BITS

Features

- S2 modified steel.
- Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description
T50002	PH1, 1", 1/4" Hex Shank
T50003	PH2, 1", 1/4" Hex Shank
T50004	PH3, 1", 1/4" Hex Shank
T50006	PH4, 1", 1/4" Hex-Bull Nose Shank
T50009	PH1, 2", 1/4" Hex Shank
T50010	PH2, 2", 1/4" Hex Shank



Part No.	Description
T50011	PH3,2", 1/4" Hex Shank
T50100	#1 x 6" Phillips Bit
T50101	#2 x 6" Phillips Bit
T50102	#3 x 6" Phillips Bit
T50103	#2 x 1" Phillips Bit / Stopper Collar

STAR DRIVE SCREWDRIVER BITS

Features

- S2 modified steel.
- Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description
T58100	T6 x 1" Star (Torx) Bit
T58101	T7 x 1" Star (Torx) Bit
T58102	T8 x 1" Star (Torx) Bit
T58103	T9 x 1" Star (Torx) Bit
T58104	T10 x 1" Star (Torx) Bit
T58105	T15 x 1" Star (Torx) Bit
T58106	T20 x 1" Star (Torx) Bit
T58107	T25 x 1" Star (Torx) Bit
T58108	T27 x 1" Star (Torx) Bit



For Torx® Screws

Part No.	Description
T58109	T30 x 1" Star (Torx) Bit
T58110	T40 x 1" Star (Torx) Bit
T58111	T10 x 2" Star (Torx) Bit
T58112	T15 x 2" Star (Torx) Bit
T58113	T20 x 2" Star (Torx) Bit
T58114	T25 x 2" Star (Torx) Bit
T58115	T27 x 2" Star (Torx) Bit
T58116	T30 x 2" Star (Torx) Bit
T58117	T40 x 2" Star (Torx) Bit

SQUARE DRIVE SCREWDRIVER BITS

Features

- S2 modified steel.
- Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description
T59100	#1 x 1" Robertson Bit
T59101	#1 x 2" Robertson Bit
T59102	#1 x 6" Robertson Bit
T59103	#2 x 1" Robertson Bit
T59104	#2 x 2" Robertson Bit



Part No.	Description
T59105	#2 x 6" Robertson Bit
T59106	#3 x 1" Robertson Bit
T59107	#3 x 2" Robertson Bit
T59108	#3 x 6" Robertson Bit

HEX DRIVE SCREWDRIVER BITS

Features

- S2 modified steel.
- Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description
T12100	5/64" x 1" Hex Bit
T12101	3/32" x 1" Hex Bit
T12102	7/64" x 1" Hex Bit



Part No.	Description
T12103	1/8" x 1" Hex Bit
T12104	5/32" x 1" Hex Bit
T12105	3/16" x 1" Hex Bit

SPANNE BIT

Features

- S2 modified steel.
- Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description
T13100	#6 x 1" Spanne Bit
T13101	#8 x 1" Spanne Bit
T13102	#10 x 1" Spanne Bit



Part No.	Description
T13103	#12 x 1" Spanne Bit
T13104	#14 x 1" Spanne Bit

TORX TAMPER PROOF BIT

Features

- S2 modified steel.
- Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description
T13200	T8 x 1" Torx Tamper Bit
T13201	T9 x 1" Torx Tamper Bit
T13202	T10 x 1" Torx Tamper Bit
T13203	T15 x 1" Torx Tamper Bit
T13204	T20 x 1" Torx Tamper Bit



For TAMPER RESISTANT Torx® Screws

Part No.	Description
T13205	T25 x 1" Torx Tamper Bit
T13206	T27 x 1" Torx Tamper Bit
T13207	T30 x 1" Torx Tamper Bit
T13208	T40 x 1" Torx Tamper Bit

HEX TAMPER PROOF BIT

Features

- S2 modified steel.
- Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description
T13300	3/32" x 1" Hex Tamper Bit
T13301	1/8" x 1" Hex Tamper Bit
T13302	9/64" x 1" Hex Tamper Bit
T13303	5/32" x 1" Hex Tamper Bit



Part No.	Description
T13304	3/16" x 1" Hex Tamper Bit
T13305	7/32" x 1" Hex Tamper Bit
T13306	1/4" x 1" Hex Tamper Bit
T13307	5/16" x 1" Hex Tamper Bit

TRI-WING TAMPER PROOF BIT

Features

- S2 modified steel.
- Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description
T13400	#1 x 1" Tri-Wing Bit
T13401	#2 x 1" Tri-Wing Bit



Part No.	Description
T13402	#3 x 1" Tri-Wing Bit

PHILLIPS TAMPER PROOF BIT

Features

- S2 modified steel.
- Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description
T13500	#2 x 1" Phillips Tamper Bit



Part No.	Description
T13501	#3 x 1" Phillips Tamper Bit

25'/8M TAPE MEASURES

Features

- Tape Hook (end tip) made of stainless steel-more durable.
- Inch on top-1/8" increments on bottom.
- 16" marks in bold & blocked for framing studs.
- Black diamond placed for drywall installers to locate stud centers.
- Hi-impact ABS housing with non slip TPR grip.
- Nylon coated blade with magnetic tip.
- Duel side printed.
- Metric on top and bottom.



Part No.	Description
T53002	Proffered 25' Tape Measure 1 1/16" Blade

Part No.	Description
T53102	Proffered 8m Tape Measure 27mm Blade

RETRACTABLE UTILITY KNIFE / 12 PIECES UTILITY BLADES

Features

- Blade change: quick release for easy exchange of blades.
- Pop up blade dispenser release button allows instant blade change. No tools required.
- SK2 blades: 5 additional high carbon SK2 blades inside the pop up blade dispenser.
- Thermoplastic rubber (TPR) soft grip offers thumb rest and comfortable use with less slippage.



Part No.	Description
T54001	Proffered Retractable Utility Knife

Part No.	Description
T55001	Proffered 12 Pieces Utility Blades

FOLDING UTILITY KNIFE

Features

- Quick release button allows for easy blade change.
- Folding lock button allows for safe and smooth blade closure.
- Ergonomic rubber grip design assures a strong and comfortable grip.
- Belt clip for quick on the job access.
- Protective blade cover, reducing risk of injury.



Part No.	Description
T54005	Proffered Folding Utility Knife

HACKSAW FRAME

Features

- Professional hacksaw frame.
- Fully adjustable tension mechanism.
- Holds blade up to 37,500 PSI.
- Single thumb-dial adjustable tension mechanism for easy adjustment.
- Pro-quick release lever allows for fast blade change.
- Ergonomic handle designed with front thumb soft grip to give better control.
- 45 and 90 degree cut angles.



Part No.	Description
T56002	Proffered Hacksaw Frame 12"

HACKSAW BLADE

Features


- 24T bi-metal steel blade.
- Cuts material 3.2mm-6.4mm, 1/8"-1/4".
- Suitable for conduit, heavy sheet metal.



Part No.	Description
T57004	Proffered 24T HSS Bi-Metal Hacksaw Blade

Proffered[®]

Preferred by
Professionals



PERSONAL PROTECTIVE EQUIPMENT

DISPOSABLE POWDER FREE NITRILE GLOVE

Features

- Protection from unwanted and dangerous substances.
- Beaded cuff ensures easy on and off and prevent roll down.
- Superior strength with better puncture resistance 5 Mil and 13 Mil.
- Textured surface enhances wet and dry gripping.
- Provides an alternative solution for individuals who are allergic to natural rubber latex.
- Applicable to automotive, safety, sanitary, medical, tattoo, lab, manufacturing industries and more.



Part No.	Description
M01001	Proffered Disposable Powder Free Nitrile Glove S (Blue 5 Mil)
M01004	Proffered Disposable Powder Free Nitrile Glove XL (Blue 5 Mil)
M01005	Proffered Disposable Powder Free Nitrile Glove XXL (Blue 5 Mil)
M01006	Proffered Disposable Powder Free Nitrile Glove S (Black 5 Mil)

Part No.	Description
M01007	Proffered Disposable Powder Free Nitrile Glove M (Black 5 Mil)
M01031	Proffered Disposable Powder Free Nitrile Glove 12" Cuff M (Blue 13 Mil)
M01032	Proffered Disposable Powder Free Nitrile Glove 12" Cuff L (Blue 13 Mil)
M01033	Proffered Disposable Powder Free Nitrile Glove 12" Cuff XL (Blue 13 Mil)

INDUSTRIAL GLOVE KIT-DISPLAY (36 PAIRS)

Features

- Pre-assembled floor glove display.
- Includes: M05103, M05104, M05113, M05114, M05118, M05119, M05123, M05124, M05128.

Part No.	Description
M04001	Proffered Industrial Glove Kit-Display (36 Pairs)



POLY/COTTON INDUSTRIAL GLOVES

Features

- Standard weight & Durable.
- Comfortable & Breathable.
- For general purpose work.

Part No.	Description
M05001	Proffered Poly/Cotton Knitted Industrial Gloves, Natural Color (S)



Part No.	Description
M05002	Proffered Poly/Cotton Knitted Industrial Gloves, Natural Color (L)

NATURAL CANVAS INDUSTRIAL GLOVES

Features

- Combines comfort, breathability, dexterity, and economy.
- For general purpose work.

Part No.	Description
M05005	Proffered Natural Canvas Industrial Gloves (S)



Part No.	Description
M05006	Proffered Natural Canvas Industrial Gloves (L)

INSPECTION INDUSTRIAL GLOVES

Features

- Comfortable & Breathable.
- Keep hands cool and dry.

Part No.	Description
M05010	Proffered Inspection Industrial Gloves (S)



Part No.	Description
M05011	Proffered Inspection Industrial Gloves (L)

A/B COWHIDE INDUSTRIAL GLOVES

Features

- Excellent abrasion resistance.
- Breathability and thermal protection.

Part No.	Description
M05015	Proffered A/B Cowhide Industrial Gloves, Double Palm (M)



Part No.	Description
M05016	Proffered A/B Cowhide Industrial Gloves, Double Palm (L)

GRAY PU COATING/GRAY NYLON INDUSTRIAL GLOVES

Features

- Light weight.
- Excellent abrasion.
- Providing grip and tactile sensitivity.

Part No.	Description
M05020	Proffered Gray PU Coating / Gray Nylon Industrial Gloves (S)
M05021	Proffered Gray PU Coating / Gray Nylon Industrial Gloves (M)
M05022	Proffered Gray PU Coating / Gray Nylon Industrial Gloves (L)



Part No.	Description
M05023	Proffered Gray PU Coating / Gray Nylon Industrial Gloves (XL)
M05024	Proffered Gray PU Coating / Gray Nylon Industrial Gloves (XXL)

BLUE LATEX/GRAY POLYESTER INDUSTRIAL GLOVES

Features

- A natural material with elasticity that provides resistance to cuts, punctures, with a safe, secure grip.

Part No.	Description
M05025	Proffered Blue Latex / Gray Polyester Industrial Gloves (S)
M05026	Proffered Blue Latex / Gray Polyester Industrial Gloves (M)
M05027	Proffered Blue Latex / Gray Polyester Industrial Gloves (L)



Part No.	Description
M05028	Proffered Blue Latex / Gray Polyester Industrial Gloves (XL)
M05029	Proffered Blue Latex / Gray Polyester Industrial Gloves (XXL)

BLACK NITRILE/GRAY LINER INDUSTRIAL GLOVES

Features

- Light weight with good abrasion.
- Nitrile foam absorbs oils better than standard nitrile coating.
- Provide grip in oily or greasy applications.

Part No.	Description
M05030	Proffered Black Nitrile / Gray Liner Industrial Gloves (S)
M05031	Proffered Black Nitrile / Gray Liner Industrial Gloves (M)
M05032	Proffered Black Nitrile / Gray Liner Industrial Gloves (L)



Part No.	Description
M05033	Proffered Black Nitrile / Gray Liner Industrial Gloves (XL)
M05034	Proffered Black Nitrile / Gray Liner Industrial Gloves (XXL)

BLACK NITRILE/GRAY LINER INDUSTRIAL GLOVES WITH PALM DOTS

Features

- The bipolymer coating provides durability, abrasion resistance, softness, and dexterity.

Part No.	Description
M05035	Proffered Black Nitrile / Gray Liner Industrial Gloves, Palm Dots (S)
M05036	Proffered Black Nitrile / Gray Liner Industrial Gloves, Palm Dots (M)
M05037	Proffered Black Nitrile / Gray Liner Industrial Gloves, Palm Dots (L)



Part No.	Description
M05038	Proffered Black Nitrile / Gray Liner Industrial Gloves, Palm Dots (XL)
M05039	Proffered Black Nitrile / Gray Liner Industrial Gloves, Palm Dots (XXL)

POLYURETHANE COATED INDUSTRIAL GLOVES

Features

- Black 15 gauge nylon knit, dipped with black polyurethane.
- Touch screen technology gives the user excellent control over any touch screen device.
- Superior dry, wet, and oily grip.
- Superior dexterity and touch sensitivity.
- Abrasion Level 3 - ANSI 105:2011.

Part No.	Description
M05101	Proffered Polyurethane Coated Industrial Gloves (S)
M05102	Proffered Polyurethane Coated Industrial Gloves (M)
M05103	Proffered Polyurethane Coated Industrial Gloves (L)



Part No.	Description
M05104	Proffered Polyurethane Coated Industrial Gloves (XL)
M05105	Proffered Polyurethane Coated Industrial Gloves (XXL)

COWHIDE LEATHER INDUSTRIAL GLOVES

Features

- Suede cowhide palm. Fiber dense suede cowhide is strong and comfortable.
- Cotton denim back. Denim is comfortable and durable improving with age and wear.
- Rubberized safety cuff. Puncture resistant cuff falls past the wrist for optimum protection.
- Rubberized safety cuff.
- Cowhide leather palm.
- Cotton denim back.

Part No.	Description
M05122	Proffered Cowhide Leather Industrial Gloves (M)
M05123	Proffered Cowhide Leather Industrial Gloves (L)



Part No.	Description
M05124	Proffered Cowhide Leather Industrial Gloves (XL)

KNITTED INDUSTRIAL GLOVES WITH PVC DOTS

Features

- Two sided PVC dotted, cotton string knit working gloves.
- These white String Knit Cotton Poly Gloves, with Dotted Black Rubber on both sides, are very popular and widely used. These gloves help protect the hands from sharp edges of metal, ceramics, glass and other materials. The dots on both sides provide firm sure grip, and don't let what you're working on slip out of your hands.
- The gloves are a little stretchy for comfortable, easy on and off. Full Finger Knitted Ribbing Protects the fingers; palm, hand back, and wrist from possible hurts in some working situations. Used in Automotive, Warehouse, Sanitation, Movers, construction, plumbing, masonry, material handling, lawn/garden, Farming, and Painting.

Part No.	Description
M05127	Proffered Knitted Industrial Gloves with PVC Dots (S)



Part No.	Description
M05128	Proffered Knitted Industrial Gloves with PVC Dots (L)

LEVEL 2 CUT RESISTANT GLOVES

Features

- Level 2 cut resistant.
- Light weight gloves with smooth finish.
- Provide excellent dexterity and abrasion resistance.

Part No.	Description
M06010	Proffered Gray PU / Gray HPPE Liner Level 2 Cut Resistant Gloves (S)
M06011	Proffered Gray PU / Gray HPPE Liner Level 2 Cut Resistant Gloves (M)
M06012	Proffered Gray PU / Gray HPPE Liner Level 2 Cut Resistant Gloves (L)



Part No.	Description
M06013	Proffered Gray PU / Gray HPPE Liner Level 2 Cut Resistant Gloves (XL)
M06014	Proffered Gray PU / Gray HPPE Liner Level 2 Cut Resistant Gloves (XXL)

LEVEL 3 CUT RESISTANT GLOVES

Features

- Level 3 cut resistant.
- Light weight gloves with smooth finish.
- Provide excellent dexterity and abrasion resistance.



Part No.	Description
M06015	Proffered Black PU / Gray HPPE Liner Level 3 Cut Resistant Gloves (S)
M06016	Proffered Black PU / Gray HPPE Liner Level 3 Cut Resistant Gloves (M)
M06017	Proffered Black PU / Gray HPPE Liner Level 3 Cut Resistant Gloves (L)

Part No.	Description
M06018	Proffered Black PU / Gray HPPE Liner Level 3 Cut Resistant Gloves (XL)
M06019	Proffered Black PU / Gray HPPE Liner Level 3 Cut Resistant Gloves (XXL)

KNEE PADS

Features

- Air-injected GEL foam for increased comfort and extended longevity.
- Ideal use on wood, laminate, tile, vinyl, concrete, and carpet floors.
- Industrial strength cap for non-skid, non-scuffing protection.
- Gel comfort knee pads provide superior comfort and protection, conforming to a variety of knee shapes and sizes.
- The outer casing adapts to a wide variety of floor materials, providing comfort and support on uneven surfaces.




Part No.	Description
M09010	Proffered Curved Gel Knee Pads

Part No.	Description
M09020	Proffered Block-Stationary Gel Knee Pads

NYLON 6.6 WHITE CABLE TIES

Features

- Self locking ties.
- Available in 5 lengths all 50lb rated.
- Made from high strength & light weight nylon.
- Working temperature -40 to 185 F.



Part No.	Description
M10006	Proffered Nylon 6.6 Natural White Cable Ties 4" (18lb)
M10015	Proffered Nylon 6.6 Natural White Cable Ties 6" (40lb)
M10017	Proffered Nylon 6.6 Natural White Cable Ties 6.25" (50lb)
M10026	Proffered Nylon 6.6 Natural White Cable Ties 8" (50lb)

Part No.	Description
M10034	Proffered Nylon 6.6 Natural White Cable Ties 10" (50lb)
M10044	Proffered Nylon 6.6 Natural White Cable Ties 11" (50lb)
M10050	Proffered Nylon 6.6 Natural White Cable Ties 14.5" (50lb)

NYLON 6.6 UV RATED BLACK CABLE TIES

Features

- Self locking ties.
- Available in 5 lengths all 50lb rated.
- UL listed 6.6 nylon-Approved for outdoor use.
- Working temperature -40 to 185 F.



Part No.	Description
M11106	Proffered Nylon 6.6 Black UV Rated Cable Ties 4" (18lb)
M11115	Proffered Nylon 6.6 Black UV Rated Cable Ties 6" (40lb)
M11117	Proffered Nylon 6.6 Black UV Rated Cable Ties 6.25" (50lb)
M11126	Proffered Nylon 6.6 Black UV Rated Cable Ties 8" (50lb)

Part No.	Description
M11134	Proffered Nylon 6.6 Black UV Rated Cable Ties 10" (50lb)
M11144	Proffered Nylon 6.6 Black UV Rated Cable Ties 11" (50lb)
M11150	Proffered Nylon 6.6 Black UV Rated Cable Ties 14.5" (50lb)
M11152	Proffered Nylon 6.6 Black UV Rated Cable Ties 14.5" (120lb)

304 STAINLESS STEEL CABLE TIES

Features

- Self locking ties.
- Stainless steel cable tie with a unique ball locking mechanism allows the tie to be quickly & easily installed, snapped or cut to specific length.
- Working temperature -76 to 572 F.



Part No.	Description
M08001	Proffered Bead 304 Stainless Steel Cable Ties 0.18"x5"
M08002	Proffered Bead 304 Stainless Steel Cable Ties 0.18"x7.9"
M08003	Proffered Bead 304 Stainless Steel Cable Ties 0.18"x10.5"

Part No.	Description
M08004	Proffered Bead 304 Stainless Steel Cable Ties 0.18"x11.8"
M08005	Proffered Bead 304 Stainless Steel Cable Ties 0.18"x14.3"
M08006	Proffered Bead 304 Stainless Steel Cable Ties 0.18"x20.5"

HI-POWER LED FLASHLIGHT

Features

- Ultra-bright CREE XB-D LED for high illumination indoors and out.
- Shock resistant with high efficiency circuit, providing maximum light output throughout entire battery life.
- Product is CE standard with a life expectancy of 100,000 hours.



Part No.	Description
M12010	Proffered Hi-Power LED Flashlight

RECHARGEABLE LED FLASHLIGHT

Features

- Easy to hold with secure comfortable grip.
- Easily connects to USB charger. Water resistant for harsh weather environments.
- 700 lumens for extreme brightness.
- Includes end hook for secure carry within your tool bag or belt.



Part No.	Description
M12030	Proffered Rechargeable LED Flashlight

1000 LUMENS RECHARGEABLE FLASHLIGHT & LANTERN

Features

- LED source: 30W LED + 4xCOB LED
- Brightness: 1000Lms
- Mode & Run time:
- LED on The Head:
 - High Stage (2hrs) - Low Stage (4hrs) - Strobe (8hrs)
- LED on The Sides:
 - Low Stage (10hrs) - Mid Stage (8hrs) - High stage (6hrs) - Red lighting Strobe (8hrs)
- Charging Time: 2-4hrs
- Battery: 2800mAh rechargeable battery
- AC/DC: 5V-2A



Part No.	Description
M12031	Proffered 1000 Lumens Rechargeable Flashlight with Focus Beam & Lantern

2400 LUMENS RECHARGEABLE FLASHLIGHT & LANTERN

Features

- Bulb: COB LED
- CCT: 6000-7000K, CRI > 70
- Brightness: 2400LMS
- Mode: High - Mid - Flash
- Run Time: 2hrs
- Charging Time: 3.5 - 4hrs
- Beam Angle: 130 - 135°
- Battery: 4400mAh total
- Folding tripod design for handled or stand base
- Waterproof: IP65

Part No.	Description
M12060	Proffered 2400 Lumens Rechargeable Flashlight with Focus Beam & Lantern



RECHARGEABLE LED WORKLIGHT

Features

- 3 lighting modes: 100%, 50%, & SOS/Flash
- Ultra bright COB LED with 100,000+ Hours lifetime
- USB Power bank for recharging devices
- Rechargeable via USB cable
- Battery level indicator
- High efficiency circuitry provides maximum light output throughout battery life
- Rugged, shock resistant construction (M12041)
- Designed for indoor & outdoor use (M12041)
- Multi-position folding stand (M12041)
- 1/4-20 thread tripod mount (M12041)
- CE ROHS Approved (M12041)
- Designed for indoor & outdoor use (M12051)
- Foldable body for different lighting angles & flat storage (M12051)

Part No.	Description
M12041	Proffered Portable Rechargeable Worklight



M12041



M12051

Part No.	Description
M12051	Proffered Foldable Rechargeable Worklight

KNEELING PAD

Features

- 1" of Ultra Comfortable & Durable Foam Padding.
- Waterproof Construction for Easy Cleanup.
- Oil Resistant.
- Non-Conductive.
- Beveled Edge with Printed Safety Stripes to Prevent Tripping.
- Integrated Handle for Easy Carrying & Hanging Storage.
- Size: 21"(L) x 14"(W) x 1"(D)

Part No.	Description
M09030	Ironclad Kneeling Pad



PROFFERED 100 CLEAR LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

Part No.	Description
M15100	Proffered 100 Clear Lens HC Safety Glasses



Part No.	Description
M15101	Proffered 100 Clear Lens AS&AF Safety Glasses

PROFFERED 100 SMOKE LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

Part No.	Description
M15102	Proffered 100 Smoke Lens HC Safety Glasses



Part No.	Description
M15103	Proffered 100 Smoke Lens AS&AF Safety Glasses

PROFFERED 100 YELLOW/AMBER LENS HC SAFETY GLASSES, ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

Part No.	Description
M15104	Proffered 100 Yellow/Amber Lens HC Safety Glasses



PROFFERED 100 I/O MIRROR LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

Part No.	Description
M15106	Proffered 100 I/O Mirror Lens Safety Glasses



PROFFERED 100 CLEAR BIFOCAL LENS HC SAFETY GLASSES, ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

Part No.	Description
M15110	Proffered 100 Clear Bifocal+1.0D Lens HC Safety Glasses
M15111	Proffered 100 Clear Bifocal+1.5D Lens HC Safety Glasses
M15112	Proffered 100 Clear Bifocal+2.0D Lens HC Safety Glasses



Part No.	Description
M15113	Proffered 100 Clear Bifocal+2.5D Lens HC Safety Glasses
M15114	Proffered 100 Clear Bifocal+3.0D Lens HC Safety Glasses

PROFERRED 100 MINI CLEAR LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Designed for smaller facial sizes - ideal for women.
- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offers highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

Part No.	Description
M15120	Proffered 100 Mini Clear Lens HC Safety Glasses



Part No.	Description
M15121	Proffered 100 Mini Clear Lens AS&AF Safety Glasses

PROFERRED 100 MINI SMOKE LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Designed for smaller facial sizes - ideal for women.
- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offers highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

Part No.	Description
M15122	Proffered 100 Mini Smoke Lens HC Safety Glasses



Part No.	Description
M15123	Proffered 100 Mini Smoke Lens AS&AF Safety Glasses

PROFERRED 200 CLEAR LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection.
- Soft flexible fingers on the nose piece adjust and conform to almost any nasal profile to reduce slippage.
- Soft rubber tipped temples provide non-slip comfort.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offers highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

Part No.	Description
M15200	Proffered 200 Clear Lens HC Safety Glasses



PROFERRED 200 SMOKE LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection.
- Soft flexible fingers on the nose piece adjust and conform to almost any nasal profile to reduce slippage.
- Soft rubber tipped temples provide non-slip comfort.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offers highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

Part No.	Description
M15202	Proffered 200 Smoke Lens HC Safety Glasses



PROFFERED 210 CLEAR LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Soft elastomer browguard diffuses and deflects impact while providing comfort at all contact points.
- Soft flexible nose pieces adjust and conform to almost any nasal profile to reduce slippage.
- Adjustable temple length and lens inclination provide a customizable fit.
- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays
- Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.



Part No.	Description
M15210	Proffered 210 Clear Lens HC Safety Glasses

Part No.	Description
M15211	Proffered 210 Clear Lens AS&AF Safety Glasses

PROFFERED 210 SMOKE LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Soft elastomer browguard diffuses and deflects impact while providing comfort at all contact points.
- Soft flexible nose pieces adjust and conform to almost any nasal profile to reduce slippage.
- Adjustable temple length and lens inclination provide a customizable fit.
- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays
- Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.



Part No.	Description
M15212	Proffered 210 Smoke Lens HC Safety Glasses

Part No.	Description
M15213	Proffered 210 Smoke Lens AS&AF Safety Glasses

PROFFERED 210 YELLOW/AMBER LENS HC SAFETY GLASSES, ANSI Z87.1 COMPLIANT

Features

- Soft elastomer browguard diffuses and deflects impact while providing comfort at all contact points.
- Soft flexible nose pieces adjust and conform to almost any nasal profile to reduce slippage.
- Adjustable temple length and lens inclination provide a customizable fit.
- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays
- Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.



Part No.	Description
M15214	Proffered 210 Yellow/Amber Lens HC Safety Glasses

PROFFERED 210 I/O MIRROR LENS HC SAFETY GLASSES, ANSI Z87.1 COMPLIANT

Features

- Soft elastomer browguard diffuses and deflects impact while providing comfort at all contact points.
- Soft flexible nose pieces adjust and conform to almost any nasal profile to reduce slippage.
- Adjustable temple length and lens inclination provide a customizable fit.
- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays
- Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.



Part No.	Description
M15216	Proffered 210 I/O Mirror Lens HC Safety Glasses

PROFFERED 220 SILVER MIRROR LENS HC SAFETY GLASSES, ANSI Z87.1 COMPLIANT

Features

- Soft rubber nosepiece and tipped temples provide non-slip comfort.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.



Part No.	Description
M15220	Proffered 220 Silver Mirror Lens HC Safety Glasses

PROFFERED 230 CLEAR LENS HC SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Economical classic glasses offers superior protection.
- Adjustable temple length and lens inclination provide a customizable fit.
- Optically correct and distortion free lens offers panoramic vision.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.



Part No.	Description
M15230	Proffered 230 Clear Lens HC Safety Glasses

PROFFERED 240 CLEAR LENS NON SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- 100% polycarbonate eyewear fits over prescription frames.
- Economical lightweight glass offers superior protection.
- No metal parts non-conductive dielectric design help to protect eyes from electric arcs.
- Optically correct and distortion free lens offers panoramic vision.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.



Part No.	Description
M15240	Proffered 240 Clear Lens NON Safety Glasses

PROFFERED G100 CLEAR LENS NON SAFETY GOGGLE ANSI Z87.1 COMPLIANT

Features

- Chemical splash goggle.
- Indirect venting structure to keep liquids out.
- Elastic headband for adjustability & fit.
- Secure comfortable seal around the face.
- Versatile; Can be worn over glasses.
- Soft, flexible seal provide a comfortable choice.
- Optically correct and distortion free lens offers panoramic vision.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.



Part No.	Description
M15300	Proffered G100 Clear Lens NON Safety Goggle

PU FOAM BULLET EARPLUGS

Features

- Soft and comfortable.
- Fully attach ear canal.
- Good noise canceling.



M17010

M17020

Part No.	Description
M17010	Proffered PU Foam Bullet Earplugs

Part No.	Description
M17020	Proffered PU Foam Bullet Earplugs w/ Cord

YELLOW ANSI CLASS 2 BREAKAWAY REFLECTIVE VEST

Features

- ANSI Class 2 reflective vest - yellow.
- 5 point breakaway vest - 2 pockets - 4 sizes.



Part No.	Description
M18010	Proffered Yellow ANSI Class 2 Breakaway Reflective Vest (M)
M18011	Proffered Yellow ANSI Class 2 Breakaway Reflective Vest (L)

Part No.	Description
M18012	Proffered Yellow ANSI Class 2 Breakaway Reflective Vest (XL)
M18013	Proffered Yellow ANSI Class 2 Breakaway Reflective Vest (XXL)

ORANGE ANSI CLASS 2 BREAKAWAY REFLECTIVE VEST

Features

- ANSI Class 2 reflective vest - orange.
- 5 point breakaway vest - 2 pockets - 4 sizes.



Part No.	Description
M18020	Proffered Orange ANSI Class 2 Breakaway Reflective Vest (M)
M18021	Proffered Orange ANSI Class 2 Breakaway Reflective Vest (L)

Part No.	Description
M18022	Proffered Orange ANSI Class 2 Breakaway Reflective Vest (XL)
M18023	Proffered Orange ANSI Class 2 Breakaway Reflective Vest (XXL)

N95 RESPIRATOR

Features

- Used for protection against solids.
- Durable with a soft and comfortable inner surface.
- Adjustable nosepiece and secured headstraps to provide proper fit.

Part No.	Description
M19020	Proffered N95 Respirator (20 PCS/Box)



N95 RESPIRATOR WITH VALVE

Features

- Used for protection against solids.
- Durable with a soft and comfortable inner surface.
- Adjustable nosepiece and secured headstraps to provide proper fit.
- An exhalation valve make it easier to breathe through in hot or humid work conditions.

Part No.	Description
M19021	Proffered N95 Respirator with Valve (10 PCS/Box)



GENERAL PURPOSE PACKAGING TAPE

Features

- Production grade pressure sensitive Carton Sealing Tape.
- Generally is used for box sealing applications.
- Construction provides a good closure for lightweight boxes.

Part No.	Description
M20010	Proffered General Purpose Packaging Tape Clear 2" x 110yd x 1.8mil



Part No.	Description
M20011	Proffered General Purpose Packaging Tape Clear 3" x 110yd x 1.8mil

2" TAPE GUN

Features

- Top notch quality 2" work horse tape gun.
- Sharp colors make it easier to find and locate in the packing area.
- Handles are designed with sturdy grip.

Part No.	Description
M20110	Proffered 2" Tape Gun



3" TAPE GUN

Features

- Top notch quality 3" deluxe tape gun.
- Sharp colors make it easier to find and locate in the packing area.
- Handles are designed with sturdy grip.

Part No.	Description
M20111	Proffered 3" Tape Gun




GENERAL PURPOSE DUCT TAPE

Features

- High tensile strength and tears cleanly across.
- Industrial strength for bundling, sealing, and protecting.

Part No.	Description
M21010	Proffered General Purpose Duct Tape Silver 1.88" x 60yd x 7mil



Part No.	Description
M21011	Proffered General Purpose Duct Tape Black 1.88" x 60yd x 7mil

HEAVY DUTY DUCT TAPE

Features

- Silver polyethylene bonds to most surfaces, resists wear, abrasion, and water.
- Industrial-grade duct tape for splicing, masking, patching, sealing and seaming.

Part No.	Description
M21020	Proffered Heavy Duty Duct Tape Silver 1.88" x 60yd x 8.8mil




PAINTER'S TAPE

Features

- Delivers sharp paint lines and can be used on a variety of surfaces.
- Removes cleanly for up to 7 days.

Part No.	Description
M22020	Proffered Painter's Tape Blue 1/41" x 60yd



VINYL ELECTRICAL TAPE

Features

- Flexible with strong retract ability.
- Excellent for residential, commercial construction, automotive, HVAC, and marine.
- Suitable for use up to 600V / 80°C.
- High voltage resistance and flame retardant.

Part No.	Description
M23010	Proffered Vinyl Electrical Tape Black 3/4" x 66' x 7mil



THREAD SEALING TAPE

Features

- Provides a clean, positive seal on threaded connections.
- Withstands harsh temperatures ranging from -170 ~ 370°C (-275~700°F).
- Used for wrapping pipe threads, creating air and water tight connections.

Part No.	Description
M24010	Proffered Thread Sealing Tape White 3/4" x 66' x 7mil



CAUTION/DANGER TAPE

Features

- Made of PE film without adhesive coating.
- Used for projects and applications that require warning and high visibility.

Part No.	Description
M25010	Proffered Caution Tape Yellow/Black 2.8" x 1000'



M25010



M25020

Part No.	Description
M25020	Proffered Danger Tape Red/Black 2.8" x 1000'

VIBRA-TITE® THREADLOCKER

Features

- Lock and seal threaded fasteners.
- Stop fasteners from loosening from shock and vibration.
- Performs better than lock washers, bevel washers and other forms of mechanical locking devices.
- Alleviates rust-lock.
- Prevent leakage.



031015

031005

031020

031010

Part No.	Description
031005	Vibra-Tite® 121 Medium Strength Threadlocker (10 ml) Blue
031010	Vibra-Tite® 121 Medium Strength Threadlocker (50 ml) Blue

Part No.	Description
031015	Vibra-Tite® 140 High Strength Threadlocker (10 ml) Red
031020	Vibra-Tite® 140 High Strength Threadlocker (50 ml) Red

CONTRACTOR BAGS

Features

- Strong bag to handle most jobs, construction, household, yard, garage, shop, production, home.
- 42 Gallon.
- 33" x 48", 83.8cm x 122cm.
- Ties included.
- 20 Bags/Box.



Part No.	Description
M26010	Proffered Contractor Bags, 4 Mil, Black

CARPENTER PENCIL

Features

- 7" in length, #2 HB thick black graphite providing long life with less sharpening.
- Bright yellow in color, easy to locate when dropped.

Part No.	Description
T98003	Proffered Carpenter Pencils



GAUGES


Features

- Measure US and Metric thread pitch.
- Resists water, alcohol, oil, and grease.
- Reliable and Accurate.
- Sturdy and Lightweight Plastic.

Part No.	Description
T98001	Proffered Bolt Gauge (Inch & Metric)



T98001



T98002

Part No.	Description
T98002	Proffered Screw / Drill & Tap Gauge

HAND & TOOL WIPES CANISTER / SINGLE PACK

Features

- Dual cleaning surfaces textured and non-scratching cleaning surface.
- Lint free sturdy wipes scrub without tearing.
- No VOCs safe for the environment.
- 82 9"x12" wipes in each canister.
- No water needed
- Cuts grease, grime, oil dirt, lube and mastic but safe on hands.



Part No.	Description
T99001	Proffered Hand & Tool Wipes Canister

Part No.	Description
T99003	Proffered Hand & Tool Wipes Single Pack

SHOP TOWELS

Features

- For Staining, cleaning tools, glass & mirror, grease & oil.
- High absorbency.
- Large 10"x12" towel.



Part No.	Description
T99100	Proffered Shop Towels

LENS CLEANING TOWELETTES

Features

- For plastic, glass, and polycarbonate lenses.
- Safe and effective with all lens coatings.
- Ideal for glasses, goggles, and face shields.
- Anti-fog, anti-static formula.
- 100 individual pack per box.
- 8"x5" towelette.



Part No.	Description
T99101	PYRAMEX Lens Cleaning Towelettes

Proferred[®]

Preferred by
Professionals



**CUTTING
TOOLS &
ABRASIVES**

JOBBER M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

- Ground flute.
- Black oxide finish.
- M2 HSS.

Part No.	Description
C21100	1/16" Jobber 135 Deg.
C21101	5/64" Jobber 135 Deg.
C21102	3/32" Jobber 135 Deg.
C21103	7/64" Jobber 135 Deg.
C21104	1/8" (0.125) Jobber 135 Deg.
C21105	9/64" Jobber 135 Deg.
C21106	5/32" Jobber 135 Deg.
C21107	11/64" Jobber 135 Deg.
C21108	3/16" Jobber 135 Deg.
C21109	13/64" Jobber 135 Deg.
C21110	7/32" Jobber 135 Deg.
C21111	15/64" Jobber 135 Deg.
C21112	1/4" Jobber 135 Deg.
C21113	17/64" Jobber 135 Deg.
C21114	9/32" Jobber 135 Deg.



Part No.	Description
C21115	19/64" Jobber 135 Deg.
C21116	5/16" Jobber 135 Deg.
C21117	21/64" Jobber 135 Deg.
C21118	11/32" Jobber 135 Deg.
C21119	23/64" Jobber 135 Deg.
C21120	3/8" Jobber 135 Deg.
C21121	25/64" Jobber 135 Deg.
C21122	13/32" Jobber 135 Deg.
C21123	27/64" Jobber 135 Deg.
C21124	7/16" Jobber 135 Deg.
C21125	29/64" Jobber 135 Deg.
C21126	15/32" Jobber 135 Deg.
C21127	31/64" Jobber 135 Deg.
C21128	1/2" Jobber 135 Deg.

WIRE GAUGE M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

- Ground flute.
- Black oxide finish.
- M2 HSS.

Part No.	Description
C21150	#1 (0.228) Wire Gauge 135 Deg.
C21151	#2 (0.221) Wire Gauge 135 Deg.
C21152	#3 (0.213) Wire Gauge 135 Deg.
C21153	#4 (0.209) Wire Gauge 135 Deg.
C21154	#5 (0.2055) Wire Gauge 135 Deg.
C21155	#6 (0.204) Wire Gauge 135 Deg.
C21156	#7 (0.201) Wire Gauge 135 Deg.
C21157	#8 (0.199) Wire Gauge 135 Deg.
C21158	#9 (0.196) Wire Gauge 135 Deg.
C21159	#10 (0.1935) Wire Gauge 135 Deg.
C21160	#11 (0.191) Wire Gauge 135 Deg.
C21161	#12 (0.189) Wire Gauge 135 Deg.
C21162	#13 (0.185) Wire Gauge 135 Deg.
C21163	#14 (0.182) Wire Gauge 135 Deg.
C21164	#15 (0.18) Wire Gauge 135 Deg.
C21165	#16 (0.177) Wire Gauge 135 Deg.
C21166	#17 (0.173) Wire Gauge 135 Deg.
C21167	#18 (0.1695) Wire Gauge 135 Deg.
C21168	#19 (0.166) Wire Gauge 135 Deg.
C21169	#20 (0.161) Wire Gauge 135 Deg.
C21170	#21 (0.159) Wire Gauge 135 Deg.
C21171	#22 (0.157) Wire Gauge 135 Deg.



Part No.	Description
C21172	#23 (0.154) Wire Gauge 135 Deg.
C21173	#24 (0.152) Wire Gauge 135 Deg.
C21174	#25 (0.1495) Wire Gauge 135 Deg.
C21175	#26 (0.147) Wire Gauge 135 Deg.
C21176	#27 (0.144) Wire Gauge 135 Deg.
C21177	#28 (0.1405) Wire Gauge 135 Deg.
C21178	#29 (0.1362) Wire Gauge 135 Deg.
C21179	#30 (0.1285) Wire Gauge 135 Deg.
C21180	#31 (0.12) Wire Gauge 135 Deg.
C21181	#32 (0.116) Wire Gauge 135 Deg.
C21182	#33 (0.113) Wire Gauge 135 Deg.
C21183	#34 (0.111) Wire Gauge 135 Deg.
C21184	#35 (0.11) Wire Gauge 135 Deg.
C21185	#36 (0.1065) Wire Gauge 135 Deg.
C21186	#37 (0.104) Wire Gauge 135 Deg.
C21187	#38 (0.1015) Wire Gauge 135 Deg.
C21188	#39 (0.0995) Wire Gauge 135 Deg.
C21189	#40 (0.098) Wire Gauge 135 Deg.
C21190	#41 (0.096) Wire Gauge 135 Deg.
C21191	#42 (0.0935) Wire Gauge 135 Deg.
C21192	#43 (0.089) Wire Gauge 135 Deg.
C21193	#44 (0.086) Wire Gauge 135 Deg.

Part No.	Description
C21194	#45 (0.082) Wire Gauge 135 Deg.
C21195	#46 (0.081) Wire Gauge 135 Deg.
C21196	#47 (0.0785) Wire Gauge 135 Deg.
C21197	#48 (0.076) Wire Gauge 135 Deg.
C21198	#49 (0.073) Wire Gauge 135 Deg.
C21199	#50 (0.07) Wire Gauge 135 Deg.
C21200	#51 (0.067) Wire Gauge 135 Deg.
C21201	#52 (0.0635) Wire Gauge 135 Deg.

Part No.	Description
C21202	#53 (0.0595) Wire Gauge 135 Deg.
C21203	#54 (0.055) Wire Gauge 135 Deg.
C21204	#55 (0.052) Wire Gauge 135 Deg.
C21205	#56 (0.0465) Wire Gauge 135 Deg.
C21206	#57 (0.043) Wire Gauge 135 Deg.
C21207	#58 (0.042) Wire Gauge 135 Deg.
C21208	#59 (0.041) Wire Gauge 135 Deg.
C21209	#60 (0.04) Wire Gauge 135 Deg.

LETTER M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

- Ground flute.
- Black oxide finish.
- M2 HSS.



Part No.	Description
C21250	A (0.234) Lette Size 135 Deg.
C21251	B (0.238) Lette Size 135 Deg.
C21252	C (0.242) Lette Size 135 Deg.
C21253	D (0.246) Lette Size 135 Deg.
C21254	E (0.25) Lette Size 135 Deg.
C21255	F (0.257) Lette Size 135 Deg.
C21256	G (0.261) Lette Size 135 Deg.
C21257	H (0.266) Lette Size 135 Deg.
C21258	I (0.272) Lette Size 135 Deg.
C21259	J (0.277) Lette Size 135 Deg.
C21260	K (0.281) Lette Size 135 Deg.
C21261	L (0.29) Lette Size 135 Deg.
C21262	M (0.295) Lette Size 135 Deg.

Part No.	Description
C21263	N (0.302) Lette Size 135 Deg.
C21264	O (0.316) Lette Size 135 Deg.
C21265	P (0.323) Lette Size 135 Deg.
C21266	Q (0.332) Lette Size 135 Deg.
C21267	R (0.339) Lette Size 135 Deg.
C21268	S (0.348) Lette Size 135 Deg.
C21269	T (0.358) Lette Size 135 Deg.
C21270	U (0.368) Lette Size 135 Deg.
C21271	V (0.377) Lette Size 135 Deg.
C21272	W (0.386) Lette Size 135 Deg.
C21273	X (0.397) Lette Size 135 Deg.
C21274	Y (0.404) Lette Size 135 Deg.
C21275	Z (0.413) Lette Size 135 Deg.

SILVER & DEMING M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

- Ground flute.
- Black oxide finish.
- M2 HSS.



Part No.	Description
C21300	33/64" (0.5156) S&D 1/2" Shank 118 Deg.
C21301	17/32" (0.5312) S&D 1/2" Shank 118 Deg.
C21302	35/64" (0.5469) S&D 1/2" Shank 118 Deg.
C21303	9/16" (0.5625) S&D 1/2" Shank 118 Deg.
C21304	37/64" (0.5781) S&D 1/2" Shank 118 Deg.
C21305	19/32" (0.5938) S&D 1/2" Shank 118 Deg.
C21306	39/64" (0.6094) S&D 1/2" Shank 118 Deg.
C21307	5/8" (0.625) S&D 1/2" Shank 118 Deg.
C21308	41/64" (0.6406) S&D 1/2" Shank 118 Deg.
C21309	21/32" (0.6562) S&D 1/2" Shank 118 Deg.
C21310	43/64" (0.6719) S&D 1/2" Shank 118 Deg.
C21311	11/16" (0.6875) S&D 1/2" Shank 118 Deg.
C21312	45/64" (0.7031) S&D 1/2" Shank 118 Deg.
C21313	23/32" (0.7188) S&D 1/2" Shank 118 Deg.

Part No.	Description
C21314	47/64" (0.7344) S&D 1/2" Shank 118 Deg.
C21315	3/4" (0.75) S&D 1/2" Shank 118 Deg.
C21316	49/64" (0.7656) S&D 1/2" Shank 118 Deg.
C21317	25/32" (0.7812) S&D 1/2" Shank 118 Deg.
C21318	51/64" (0.7969) S&D 1/2" Shank 118 Deg.
C21319	13/16" (0.8125) S&D 1/2" Shank 118 Deg.
C21320	53/64" (0.8281) S&D 1/2" Shank 118 Deg.
C21321	27/32" (0.8438) S&D 1/2" Shank 118 Deg.
C21322	55/64" (0.8594) S&D 1/2" Shank 118 Deg.
C21323	7/8" (0.875) S&D 1/2" Shank 118 Deg.
C21324	57/64" (0.8906) S&D 1/2" Shank 118 Deg.
C21325	29/32" (0.9062) S&D 1/2" Shank 118 Deg.
C21326	59/64" (0.9219) S&D 1/2" Shank 118 Deg.
C21327	15/16" (0.9375) S&D 1/2" Shank 118 Deg.

Part No.	Description
C21328	61/64" (0.9531) S&D 1/2" Shank 118 Deg.
C21329	31/32" (0.9688) S&D 1/2" Shank 118 Deg.
C21330	63/64" (0.9844) S&D 1/2" Shank 118 Deg.
C21331	1" (1) S&D 1/2" Shank 118 Deg.
C21332	1-1/16" (1.0625) S&D 1/2" Shank 118 Deg.
C21333	1-1/8" (1.125) S&D 1/2" Shank 118 Deg.

Part No.	Description
C21334	1-3/16" (1.1875) S&D 1/2" Shank 118 Deg.
C21335	1-1/4" (1.25) S&D 1/2" Shank 118 Deg.
C21336	1-5/16" (1.3125) S&D 1/2" Shank 118 Deg.
C21337	1-3/8" (1.375) S&D 1/2" Shank 118 Deg.
C21338	1-1/2" (1.5) S&D 1/2" Shank 118 Deg.

STUB LENGTH M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

- Ground flute.
- Black oxide finish.
- M2 HSS.

Part No.	Description
C21350	1/16" (0.0625) Stub 135 Deg.
C21351	5/64" (0.0781) Stub 135 Deg.
C21352	3/32" (0.0938) Stub 135 Deg.
C21353	7/64" (0.1094) Stub 135 Deg.
C21354	1/8" (0.125) Stub 135 Deg.
C21355	9/64" (0.1406) Stub 135 Deg.
C21356	5/32" (0.1562) Stub 135 Deg.
C21357	11/64" (0.1719) Stub 135 Deg.
C21358	3/16" (0.1875) Stub 135 Deg.
C21359	13/64" (0.2031) Stub 135 Deg.
C21360	7/32" (0.2188) Stub 135 Deg.
C21361	15/64" (0.2344) Stub 135 Deg.
C21362	1/4" (0.25) Stub 135 Deg.
C21363	17/64" (0.2656) Stub 135 Deg.
C21364	9/32" (0.2812) Stub 135 Deg.



Part No.	Description
C21365	19/64" (0.2969) Stub 135 Deg.
C21366	5/16" (0.3125) Stub 135 Deg.
C21367	21/64" (0.3281) Stub 135 Deg.
C21368	11/32" (0.3438) Stub 135 Deg.
C21369	23/64" (0.3594) Stub 135 Deg.
C21370	3/8" (0.375) Stub 135 Deg.
C21371	25/64" (0.3906) Stub 135 Deg.
C21372	13/32" (0.4062) Stub 135 Deg.
C21373	27/64" (0.4219) Stub 135 Deg.
C21374	7/16" (0.4375) Stub 135 Deg.
C21375	29/64" (0.4531) Stub 135 Deg.
C21376	15/32" (0.4688) Stub 135 Deg.
C21377	31/64" (0.4844) Stub 135 Deg.
C21378	1/2" (0.5) Stub 135 Deg.

AIRCRAFT M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

- Ground flute.
- Black oxide finish.
- M2 HSS.

Part No.	Description
C21400	1/16" (0.0625) x 6" Aircraft 135 Deg.
C21401	1/8" (0.125) x 6" Aircraft 135 Deg.
C21402	9/64" (0.1406) x 6" Aircraft 135 Deg.
C21403	5/32" (0.1563) x 6" Aircraft 135 Deg.
C21404	11/64" (0.1719) x 6" Aircraft 135 Deg.
C21405	3/16" (0.1875) x 6" Aircraft 135 Deg.
C21406	13/64" (0.2031) x 6" Aircraft 135 Deg.
C21407	7/32" (0.2188) x 6" Aircraft 135 Deg.
C21408	15/64" (0.2344) x 6" Aircraft 135 Deg.
C21409	1/4" (0.25) x 6" Aircraft 135 Deg.
C21410	17/64" (0.2656) x 6" Aircraft 135 Deg.
C21411	9/32" (0.2813) x 6" Aircraft 135 Deg.
C21412	5/16" (0.3125) x 6" Aircraft 135 Deg.
C21413	11/32" (0.3438) x 6" Aircraft 135 Deg.



Part No.	Description
C21414	3/8" (0.375) x 6" Aircraft 135 Deg.
C21415	7/16" (0.4375) x 6" Aircraft 135 Deg.
C21416	1/2" (0.5) x 6" Aircraft 135 Deg.
C21417	1/8" (0.125) x 12" Aircraft 135 Deg.
C21418	5/32" (0.1563) x 12" Aircraft 135 Deg.
C21419	3/16" (0.1875) x 12" Aircraft 135 Deg.
C21420	7/32" (0.2188) x 12" Aircraft 135 Deg.
C21421	1/4" (0.25) x 12" Aircraft 135 Deg.
C21422	9/32" (0.2813) x 12" Aircraft 135 Deg.
C21423	5/16" (0.3125) x 12" Aircraft 135 Deg.
C21424	11/32" (0.3438) x 12" Aircraft 135 Deg.
C21425	3/8" (0.375) x 12" Aircraft 135 Deg.
C21426	7/16" (0.4375) x 12" Aircraft 135 Deg.
C21427	1/2" (0.5) x 12" Aircraft 135 Deg.

DOUBLE END M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

- Heavy duty.
- Bright and black finish.
- M2 HSS.

Part No.	Description
C21450	1/8" (0.1250) Double End 135 Deg.



Part No.	Description
C21451	#30 (0.1285) Double End 135 Deg.

JOBBER M2 HSS BLACK AND GOLD DRILL BIT

Features

- Ground flute.
- Black & gold finish.
- M2 HSS.

Part No.	Description
C26100	1/16" (0.0625) Jobbe 135 Deg. M2 HSS Black and Gold
C26101	5/64" (0.0781) Jobbe 135 Deg. M2 HSS Black and Gold
C26102	3/32" (0.0938) Jobbe 135 Deg. M2 HSS Black and Gold
C26103	7/64" (0.1094) Jobbe 135 Deg. M2 HSS Black and Gold
C26104	1/8" (0.125) Jobbe 135 Deg. M2 HSS Black and Gold
C26105	9/64" (0.1406) Jobbe 135 Deg. M2 HSS Black and Gold
C26106	5/32" (0.1562) Jobbe 135 Deg. M2 HSS Black and Gold
C26107	11/64" (0.1719) Jobbe 135 Deg. M2 HSS Black and Gold
C26108	3/16" (0.1875) Jobbe 135 Deg. M2 HSS Black and Gold
C26109	13/64" (0.2031) Jobbe 135 Deg. M2 HSS Black and Gold
C26110	7/32" (0.2188) Jobbe 135 Deg. M2 HSS Black and Gold
C26111	15/64" (0.2344) Jobbe 135 Deg. M2 HSS Black and Gold
C26112	1/4" (0.25) Jobbe 135 Deg. M2 HSS Black and Gold
C26113	17/64" (0.2656) Jobbe 135 Deg. M2 HSS Black and Gold
C26114	9/32" (0.2812) Jobbe 135 Deg. M2 HSS Black and Gold



Part No.	Description
C26115	19/64" (0.2969) Jobbe 135 Deg. M2 HSS Black and Gold
C26116	5/16" (0.3125) Jobbe 135 Deg. M2 HSS Black and Gold
C26117	21/64" (0.3281) Jobbe 135 Deg. M2 HSS Black and Gold
C26118	11/32" (0.3438) Jobbe 135 Deg. M2 HSS Black and Gold
C26119	23/64" (0.3594) Jobbe 135 Deg. M2 HSS Black and Gold
C26120	3/8" (0.375) Jobbe 135 Deg. M2 HSS Black and Gold
C26121	25/64" (0.3906) Jobbe 135 Deg. M2 HSS Black and Gold
C26122	13/32" (0.4062) Jobbe 135 Deg. M2 HSS Black and Gold
C26123	27/64" (0.4219) Jobbe 135 Deg. M2 HSS Black and Gold
C26124	7/16" (0.4375) Jobbe 135 Deg. M2 HSS Black and Gold
C26125	29/64" (0.4531) Jobbe 135 Deg. M2 HSS Black and Gold
C26126	15/32" (0.4688) Jobbe 135 Deg. M2 HSS Black and Gold
C26127	31/64" (0.4844) Jobbe 135 Deg. M2 HSS Black and Gold
C26128	1/2" (0.5) Jobbe 135 Deg. M2 HSS Black and Gold

WIRE GAUGE M2 HSS BLACK AND GOLD DRILL BIT

Features

- Ground flute.
- Black & gold finish.
- M2 HSS.

Part No.	Description
C26150	#1 (0.228) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26151	#2 (0.221) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26152	#3 (0.213) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26153	#4 (0.209) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26154	#5 (0.2055) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26155	#6 (0.204) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26156	#7 (0.201) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26157	#8 (0.199) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26158	#9 (0.196) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26159	#10 (0.1935) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26160	#11 (0.191) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26161	#12 (0.189) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26162	#13 (0.185) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26163	#14 (0.182) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26164	#15 (0.18) Wire Gauge 135 Deg. M2 HSS Black and Gold



Part No.	Description
C26165	#16 (0.177) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26166	#17 (0.173) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26167	#18 (0.1695) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26168	#19 (0.166) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26169	#20 (0.161) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26170	#21 (0.159) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26171	#22 (0.157) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26172	#23 (0.154) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26173	#24 (0.152) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26174	#25 (0.1495) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26175	#26 (0.147) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26176	#27 (0.144) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26177	#28 (0.1405) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26178	#29 (0.1362) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26179	#30 (0.1285) Wire Gauge 135 Deg. M2 HSS Black and Gold

Part No.	Description
C26180	#31 (0.12) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26181	#32 (0.116) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26182	#33 (0.113) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26183	#34 (0.111) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26184	#35 (0.11) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26185	#36 (0.1065) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26186	#37 (0.104) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26187	#38 (0.1015) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26188	#39 (0.0995) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26189	#40 (0.098) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26190	#41 (0.096) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26191	#42 (0.0935) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26192	#43 (0.089) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26193	#44 (0.086) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26194	#45 (0.082) Wire Gauge 135 Deg. M2 HSS Black and Gold

Part No.	Description
C26195	#46 (0.081) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26196	#47 (0.0785) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26197	#48 (0.076) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26198	#49 (0.073) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26199	#50 (0.07) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26200	#51 (0.067) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26201	#52 (0.0635) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26202	#53 (0.0595) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26203	#54 (0.055) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26204	#55 (0.052) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26205	#56 (0.0465) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26206	#57 (0.043) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26207	#58 (0.042) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26208	#59 (0.041) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26209	#60 (0.04) Wire Gauge 135 Deg. M2 HSS Black and Gold

LETTER M2 HSS BLACK AND GOLD DRILL BIT

Features

- Ground flute.
- Black & gold finish.
- M2 HSS.



Part No.	Description
C26250	A (0.234) Letter Size 135 Deg. M2 HSS Black and Gold
C26251	B (0.238) Letter Size 135 Deg. M2 HSS Black and Gold
C26252	C (0.242) Letter Size 135 Deg. M2 HSS Black and Gold
C26253	D (0.246) Letter Size 135 Deg. M2 HSS Black and Gold
C26254	E (0.25) Letter Size 135 Deg. M2 HSS Black and Gold
C26255	F (0.257) Letter Size 135 Deg. M2 HSS Black and Gold
C26256	G (0.261) Letter Size 135 Deg. M2 HSS Black and Gold
C26257	H (0.266) Letter Size 135 Deg. M2 HSS Black and Gold
C26258	I (0.272) Letter Size 135 Deg. M2 HSS Black and Gold
C26259	J (0.277) Letter Size 135 Deg. M2 HSS Black and Gold
C26260	K (0.281) Letter Size 135 Deg. M2 HSS Black and Gold
C26261	L (0.29) Letter Size 135 Deg. M2 HSS Black and Gold
C26262	M (0.295) Letter Size 135 Deg. M2 HSS Black and Gold

Part No.	Description
C26263	N (0.302) Letter Size 135 Deg. M2 HSS Black and Gold
C26264	O (0.316) Letter Size 135 Deg. M2 HSS Black and Gold
C26265	P (0.323) Letter Size 135 Deg. M2 HSS Black and Gold
C26266	Q (0.332) Letter Size 135 Deg. M2 HSS Black and Gold
C26267	R (0.339) Letter Size 135 Deg. M2 HSS Black and Gold
C26268	S (0.348) Letter Size 135 Deg. M2 HSS Black and Gold
C26269	T (0.358) Letter Size 135 Deg. M2 HSS Black and Gold
C26270	U (0.368) Letter Size 135 Deg. M2 HSS Black and Gold
C26271	V (0.377) Letter Size 135 Deg. M2 HSS Black and Gold
C26272	W (0.386) Letter Size 135 Deg. M2 HSS Black and Gold
C26273	X (0.397) Letter Size 135 Deg. M2 HSS Black and Gold
C26274	Y (0.404) Letter Size 135 Deg. M2 HSS Black and Gold
C26275	Z (0.413) Letter Size 135 Deg. M2 HSS Black and Gold

SILVER & DEMING M2 HSS BLACK AND GOLD DRILL BIT

Features

- Ground flute.
- Black & gold finish.
- M2 HSS.



Part No.	Description
C26300	33/64" (0.5156) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26301	17/32" (0.5312) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26302	35/64" (0.5469) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26303	9/16" (0.5625) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26304	37/64" (0.5781) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26305	19/32" (0.5938) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26306	39/64" (0.6094) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold

Part No.	Description
C26307	5/8" (0.625) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26308	41/64" (0.6406) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26309	21/32" (0.6562) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26310	43/64" (0.6719) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26311	11/16" (0.6875) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26312	45/64" (0.7031) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26313	23/32" (0.7188) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold

Part No.	Description
C26314	47/64" (0.7344) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26315	3/4" (0.75) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26316	49/64" (0.7656) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26317	25/32" (0.7812) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26318	51/64" (0.7969) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26319	13/16" (0.8125) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26320	53/64" (0.8281) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26321	27/32" (0.8438) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26322	55/64" (0.8594) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26323	7/8" (0.875) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26324	57/64" (0.8906) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold

Part No.	Description
C26325	29/32" (0.9062) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26326	59/64" (0.9219) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26327	15/16" (0.9375) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26328	61/64" (0.9531) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26329	31/32" (0.9688) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26330	63/64" (0.9844) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26331	1" (1) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26332	1-1/16" (1.0625) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26333	1-1/8" (1.125) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26334	1-3/16" (1.1875) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26335	1-1/4" (1.25) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold

MECHANICS M2 HSS BLACK AND GOLD DRILL BIT

Features

- Ground flute.
- Black & gold finish.
- M2 HSS.



Part No.	Description
C26350	1/16" (0.0625) Mechanics 135 Deg. M2 HSS Black and Gold
C26351	5/64" (0.0781) Mechanics 135 Deg. M2 HSS Black and Gold
C26352	3/32" (0.0938) Mechanics 135 Deg. M2 HSS Black and Gold
C26353	7/64" (0.1094) Mechanics 135 Deg. M2 HSS Black and Gold
C26354	1/8" (0.125) Mechanics 135 Deg. M2 HSS Black and Gold
C26355	9/64" (0.1406) Mechanics 135 Deg. M2 HSS Black and Gold
C26356	5/32" (0.1562) Mechanics 135 Deg. M2 HSS Black and Gold
C26357	11/64" (0.1719) Mechanics 135 Deg. M2 HSS Black and Gold
C26358	3/16" (0.1875) Mechanics 135 Deg. M2 HSS Black and Gold
C26359	13/64" (0.2031) Mechanics 135 Deg. M2 HSS Black and Gold
C26360	7/32" (0.2188) Mechanics 135 Deg. M2 HSS Black and Gold
C26361	15/64" (0.2344) Mechanics 135 Deg. M2 HSS Black and Gold
C26362	1/4" (0.25) Mechanics 135 Deg. M2 HSS Black and Gold
C26363	17/64" (0.2656) Mechanics 135 Deg. M2 HSS Black and Gold
C26364	9/32" (0.2812) Mechanics 135 Deg. M2 HSS Black and Gold

Part No.	Description
C26365	19/64" (0.2969) Mechanics 135 Deg. M2 HSS Black and Gold
C26366	5/16" (0.3125) Mechanics 135 Deg. M2 HSS Black and Gold
C26367	21/64" (0.3281) Mechanics 135 Deg. M2 HSS Black and Gold
C26368	11/32" (0.3438) Mechanics 135 Deg. M2 HSS Black and Gold
C26369	23/64" (0.3594) Mechanics 135 Deg. M2 HSS Black and Gold
C26370	3/8" (0.375) Mechanics 135 Deg. M2 HSS Black and Gold
C26371	25/64" (0.3906) Mechanics 135 Deg. M2 HSS Black and Gold
C26372	13/32" (0.4062) Mechanics 135 Deg. M2 HSS Black and Gold
C26373	27/64" (0.4219) Mechanics 135 Deg. M2 HSS Black and Gold
C26374	7/16" (0.4375) Mechanics 135 Deg. M2 HSS Black and Gold
C26375	29/64" (0.4531) Mechanics 135 Deg. M2 HSS Black and Gold
C26376	15/32" (0.4688) Mechanics 135 Deg. M2 HSS Black and Gold
C26377	31/64" (0.4844) Mechanics 135 Deg. M2 HSS Black and Gold
C26378	1/2" (0.5) Mechanics 135 Deg. M2 HSS Black and Gold

JOBBER M35 COBALT TWIST DRILL BIT

Features

- Ground flute.
- Gold finish.
- M35 cobalt.



Part No.	Description
C22004	1/16" (0.0625) Cobalt 135 Deg. Jobber
C22005	5/64" (0.0781) Cobalt 135 Deg. Jobber
C22006	3/32" (0.0938) Cobalt 135 Deg. Jobber
C22007	7/64" (0.1094) Cobalt 135 Deg. Jobber
C22008	1/8" (0.125) Cobalt 135 Deg. Jobber
C22009	9/64" (0.1406) Cobalt 135 Deg. Jobber
C22010	5/32" (0.1562) Cobalt 135 Deg. Jobber
C22011	11/64" (0.1719) Cobalt 135 Deg. Jobber
C22012	3/16" (0.1875) Cobalt 135 Deg. Jobber

Part No.	Description
C22013	13/64" (0.2031) Cobalt 135 Deg. Jobber
C22014	7/32" (0.2188) Cobalt 135 Deg. Jobber
C22015	15/64" (0.2344) Cobalt 135 Deg. Jobber
C22016	1/4" (0.25) Cobalt 135 Deg. Jobber
C22017	17/64" (0.2656) Cobalt 135 Deg. Jobber
C22018	9/32" (0.2812) Cobalt 135 Deg. Jobber
C22019	19/64" (0.2969) Cobalt 135 Deg. Jobber
C22020	5/16" (0.3125) Cobalt 135 Deg. Jobber
C22021	21/64" (0.3281) Cobalt 135 Deg. Jobber

Part No.	Description
C22022	11/32" (0.3438) Cobalt 135 Deg. Jobber
C22023	23/64" (0.3594) Cobalt 135 Deg. Jobber
C22024	3/8" (0.375) Cobalt 135 Deg. Jobber
C22025	25/64" (0.3906) Cobalt 135 Deg. Jobber
C22026	13/32" (0.4062) Cobalt 135 Deg. Jobber
C22027	27/64" (0.4219) Cobalt 135 Deg. Jobber

Part No.	Description
C22028	7/16" (0.4375) Cobalt 135 Deg. Jobber
C22029	29/64" (0.4531) Cobalt 135 Deg. Jobber
C22030	15/32" (0.4688) Cobalt 135 Deg. Jobber
C22031	31/64" (0.4844) Cobalt 135 Deg. Jobber
C22032	1/2" (0.5) Cobalt 135 Deg. Jobber

WIRE GAUGE M35 COBALT TWIST DRILL BIT

Features

- Ground flute.
- Gold finish.
- M35 cobalt.



Part No.	Description
C22150	#1 (0.228) Cobalt 135 Deg. Wire Gauge
C22151	#2 (0.221) Cobalt 135 Deg. Wire Gauge
C22152	#3 (0.213) Cobalt 135 Deg. Wire Gauge
C22153	#4 (0.209) Cobalt 135 Deg. Wire Gauge
C22154	#5 (0.2055) Cobalt 135 Deg. Wire Gauge
C22155	#6 (0.204) Cobalt 135 Deg. Wire Gauge
C22156	#7 (0.201) Cobalt 135 Deg. Wire Gauge
C22157	#8 (0.199) Cobalt 135 Deg. Wire Gauge
C22158	#9 (0.196) Cobalt 135 Deg. Wire Gauge
C22159	#10 (0.1935) Cobalt 135 Deg. Wire Gauge
C22160	#11 (0.191) Cobalt 135 Deg. Wire Gauge
C22161	#12 (0.189) Cobalt 135 Deg. Wire Gauge
C22162	#13 (0.185) Cobalt 135 Deg. Wire Gauge
C22163	#14 (0.182) Cobalt 135 Deg. Wire Gauge
C22164	#15 (0.18) Cobalt 135 Deg. Wire Gauge
C22165	#16 (0.177) Cobalt 135 Deg. Wire Gauge
C22166	#17 (0.173) Cobalt 135 Deg. Wire Gauge
C22167	#18 (0.1695) Cobalt 135 Deg. Wire Gauge
C22168	#19 (0.166) Cobalt 135 Deg. Wire Gauge
C22169	#20 (0.161) Cobalt 135 Deg. Wire Gauge
C22170	#21 (0.159) Cobalt 135 Deg. Wire Gauge
C22171	#22 (0.157) Cobalt 135 Deg. Wire Gauge
C22172	#23 (0.154) Cobalt 135 Deg. Wire Gauge
C22173	#24 (0.152) Cobalt 135 Deg. Wire Gauge
C22174	#25 (0.1495) Cobalt 135 Deg. Wire Gauge
C22175	#26 (0.147) Cobalt 135 Deg. Wire Gauge
C22176	#27 (0.144) Cobalt 135 Deg. Wire Gauge
C22177	#28 (0.1405) Cobalt 135 Deg. Wire Gauge
C22178	#29 (0.1362) Cobalt 135 Deg. Wire Gauge
C22179	#30 (0.1285) Cobalt 135 Deg. Wire Gauge

Part No.	Description
C22180	#31 (0.12) Cobalt 135 Deg. Wire Gauge
C22181	#32 (0.116) Cobalt 135 Deg. Wire Gauge
C22182	#33 (0.113) Cobalt 135 Deg. Wire Gauge
C22183	#34 (0.111) Cobalt 135 Deg. Wire Gauge
C22184	#35 (0.11) Cobalt 135 Deg. Wire Gauge
C22185	#36 (0.1065) Cobalt 135 Deg. Wire Gauge
C22186	#37 (0.104) Cobalt 135 Deg. Wire Gauge
C22187	#38 (0.1015) Cobalt 135 Deg. Wire Gauge
C22188	#39 (0.0995) Cobalt 135 Deg. Wire Gauge
C22189	#40 (0.098) Cobalt 135 Deg. Wire Gauge
C22190	#41 (0.096) Cobalt 135 Deg. Wire Gauge
C22191	#42 (0.0935) Cobalt 135 Deg. Wire Gauge
C22192	#43 (0.089) Cobalt 135 Deg. Wire Gauge
C22193	#44 (0.086) Cobalt 135 Deg. Wire Gauge
C22194	#45 (0.082) Cobalt 135 Deg. Wire Gauge
C22195	#46 (0.081) Cobalt 135 Deg. Wire Gauge
C22196	#47 (0.0785) Cobalt 135 Deg. Wire Gauge
C22197	#48 (0.076) Cobalt 135 Deg. Wire Gauge
C22198	#49 (0.073) Cobalt 135 Deg. Wire Gauge
C22199	#50 (0.07) Cobalt 135 Deg. Wire Gauge
C22200	#51 (0.067) Cobalt 135 Deg. Wire Gauge
C22201	#52 (0.0635) Cobalt 135 Deg. Wire Gauge
C22202	#53 (0.0595) Cobalt 135 Deg. Wire Gauge
C22203	#54 (0.055) Cobalt 135 Deg. Wire Gauge
C22204	#55 (0.052) Cobalt 135 Deg. Wire Gauge
C22205	#56 (0.0465) Cobalt 135 Deg. Wire Gauge
C22206	#57 (0.043) Cobalt 135 Deg. Wire Gauge
C22207	#58 (0.042) Cobalt 135 Deg. Wire Gauge
C22208	#59 (0.041) Cobalt 135 Deg. Wire Gauge
C22209	#60 (0.04) Cobalt 135 Deg. Wire Gauge

SILVER & DEMING M35 COBALT TWIST DRILL BIT

Features

- Ground flute.
- Gold finish.
- M35 cobalt.



Part No.	Description
C22301	17/32" (0.5312) Cobalt 118 Deg. S&D 1/2" Shank
C22303	9/16" (0.5625) Cobalt 118 Deg. S&D 1/2" Shank
C22305	19/32" (0.5938) Cobalt 118 Deg. S&D 1/2" Shank
C22307	5/8" (0.625) Cobalt 118 Deg. S&D 1/2" Shank
C22309	21/32" (0.6562) Cobalt 118 Deg. S&D 1/2" Shank
C22311	11/16" (0.6875) Cobalt 118 Deg. S&D 1/2" Shank
C22313	23/32" (0.7188) Cobalt 118 Deg. S&D 1/2" Shank
C22315	3/4" (0.75) Cobalt 118 Deg. S&D 1/2" Shank
C22317	25/32" (0.7812) Cobalt 118 Deg. S&D 1/2" Shank
C22319	13/16" (0.8125) Cobalt 118 Deg. S&D 1/2" Shank
C22321	27/32" (0.8438) Cobalt 118 Deg. S&D 1/2" Shank
C22323	7/8" (0.875) Cobalt 118 Deg. S&D 1/2" Shank

Part No.	Description
C22325	29/32" (0.9062) Cobalt 118 Deg. S&D 1/2" Shank
C22327	15/16" (0.9375) Cobalt 118 Deg. S&D 1/2" Shank
C22329	31/32" (0.9688) Cobalt 118 Deg. S&D 1/2" Shank
C22331	1" (1) Cobalt 118 Deg. S&D 1/2" Shank
C22332	1-1/16" (1.0625) Cobalt 118 Deg. S&D 1/2" Shank
C22333	1-1/8" (1.125) Cobalt 118 Deg. S&D 1/2" Shank
C22334	1-3/16" (1.1875) Cobalt 118 Deg. S&D 1/2" Shank
C22335	1-1/4" (1.25) Cobalt 118 Deg. S&D 1/2" Shank
C22336	1-5/16" (1.3125) Cobalt 118 Deg. S&D 1/2" Shank
C22337	1-3/8" (1.375) Cobalt 118 Deg. S&D 1/2" Shank
C22338	1-1/2" (1.5) Cobalt 118 Deg. S&D 1/2" Shank

21 PIECE M2 HIGH SPEED STEEL DRILL BIT SET

Features

- 21-piece Jobber length Set
- 1/16" - 3/8" in 1/64" increments
- M2 material with a black finish
- Split drill point
- 135° cutting angle
- Brinell hardness HB 200-220
- Plastic storage index case

Part No.	Description
C20001	21 Piece M2 HSS Jobber Drill Bit Set (Box Case)



29 PIECE M2 HIGH SPEED STEEL DRILL BIT SET

Features

- 29-piece Jobber length Set
- 1/16" - 1/2" in 1/64" increments
- M2 material with a black finish
- Split drill point
- 135° cutting angle
- Brinell hardness HB 200-220
- Plastic storage index case

Part No.	Description
C20002	29 Piece M2 HSS Jobber Drill Bit Set (Box Case)



29 PIECE DRILL BIT SET

Features

- M2 HSS jobber.
- M35 cobalt jobber.
- M2 HSS black & gold mechanics.
- M2 HSS black & gold jobber.
- Huot bullet case.



Part No.	Description
C20100	29 Piece M2 HSS Jobber (Bullet Case)
C20200	29 Piece M35 Cobalt Jobber Set (Bullet Case)

Part No.	Description
C20300	29 Piece M2 HSS Black and Gold Mechanics (Bullet Case)
C20400	29 Piece M2 HSS Black and Gold Jobber Set (Bullet Case)

DOUBLE END M42 COBALT TWIST DRILL BIT

Features

- Heavy duty spur.
- M42 super cobalt.
- High red hot hardness.
- Double end.
- Gold finish.



Part No.	Description
C23450	1/8" (0.1250) Double End 135 Deg. Cobalt

Part No.	Description
C23451	#30 (0.1285) Double End 135 Deg. Cobalt

M42 COBALT SPOT WELD DRILL BIT

Features

- Heavy duty spur.
- M42 super cobalt.
- High red hot hardness.
- Double end.
- Gold finish.



Part No.	Description
C24100	6.5 mm (0.2362) Cobalt Spotweld D.E.
C24101	8.0 mm (0.3150) Cobalt Spotweld D.E.

Part No.	Description
C24102	10.0 mm (0.3937) Cobalt Spotweld D.E.

M2 HSS STEP DRILL BITS (INCH)

Features

- HSS step drills.
- Lobbed non-slip shank.
- Drill 1/8" thick.
- Double flute.
- Bright finish.



Part No.	Description
C25100	13 Step 1/8" to 1/2"
C25101	6 Step 3/16" to 1/2"
C25102	9 Step 1/4" to 3/4"
C25103	12 Step 3/16" to 7/8"
C25104	12 Step 7/16" to 1-1/8"

Part No.	Description
C25105	11 Step 3/4" to 1-3/8"
C25106	3 Step 3/8" to 3/4"
C25107	2 Step 7/8" to 1-1/8"
C25108	5 Step 7/8" to 1-3/8"
C25109	1 Step 7/8" Smooth Cone

HSS PLUG TAP

Features

- High speed steel hand taps.
- Ground thread.



Part No.	Description
C42100	4-40 NC Plug Tap HSS
C42101	4-48 NF Plug Tap HSS
C42102	5-40 NC Plug Tap HSS
C42103	5-44 NF Plug Tap HSS
C42104	6-32 NC Plug Tap HSS
C42105	6-40 NF Plug Tap HSS
C42106	8-32 NC Plug Tap HSS
C42107	8-36 NF Plug Tap HSS
C42108	10-24 NC Plug Tap HSS
C42109	10-32 NF Plug Tap HSS
C42110	12-24 NC Plug Tap HSS
C42111	12-28 NF Plug Tap HSS
C42112	1/4"-20 NC Plug Tap HSS
C42113	1/4"-28 NF Plug Tap HSS
C42114	5/16"-18 NC Plug Tap HSS
C42115	5/16"-24 NF Plug Tap HSS
C42116	3/8"-16 NC Plug Tap HSS
C42117	3/8"-24 NF Plug Tap HSS

Part No.	Description
C42118	7/16"-14 NC Plug Tap HSS
C42119	7/16"-20 NF Plug Tap HSS
C42120	1/2"-13 NC Plug Tap HSS
C42121	1/2"-20 NF Plug Tap HSS
C42122	9/16"-12 NC Plug Tap HSS
C42123	9/16"-18 NF Plug Tap HSS
C42124	5/8"-11 NC Plug Tap HSS
C42125	5/8"-18 NF Plug Tap HSS
C42126	11/16"-11 NS Plug Tap HSS
C42127	11/16"-16 NS Plug Tap HSS
C42128	3/4"-10 NC Plug Tap HSS
C42129	3/4"-16 NF Plug Tap HSS
C42130	7/8"-9 NC Plug Tap HSS
C42131	7/8"-14 NF Plug Tap HSS
C42132	1-8 NC Plug Tap HSS
C42133	1-12NF Plug Tap HSS
C42134	1-14NS Plug Tap HSS

HSS TAPER TAP

Features

- High speed steel hand taps.
- Ground thread.



Part No.	Description
C48100	4-40 NC Taper Tap HSS
C48104	6-32 NC Taper Tap HSS
C48106	8-32 NC Taper Tap HSS
C48108	10-24 NC Taper Tap HSS
C48109	10-32 NF Taper Tap HSS
C48110	12-24 NC Taper Tap HSS
C48112	1/4"-20 NC Taper Tap HSS
C48113	1/4"-28 NF Taper Tap HSS
C48114	5/16"-18 NC Taper Tap HSS
C48115	5/16"-24 NF Taper Tap HSS
C48116	3/8"-16 NC Taper Tap HSS

Part No.	Description
C48117	3/8"-24 NF Taper Tap HSS
C48118	7/16"-14 NC Taper Tap HSS
C48120	1/2"-13 NC Taper Tap HSS
C48121	1/2"-20 NF Taper Tap HSS
C48122	9/16"-12 NC Taper Tap HSS
C48123	9/16"-18 NF Taper Tap HSS
C48124	5/8"-11 NC Taper Tap HSS
C48128	3/4"-10 NC Taper Tap HSS
C48130	7/8"-9 NC Taper Tap HSS
C48132	1-8 NC Taper Tap HSS

HSS BOTTOM TAP

Features

- High speed steel hand taps.
- Ground thread.



Part No.	Description
C49100	4-40 NC Bottom Tap HSS
C49104	6-32 NC Bottom Tap HSS
C49106	8-32 NC Bottom Tap HSS
C49108	10-24 NC Bottom Tap HSS
C49109	10-32 NF Bottom Tap HSS
C49110	12-24 NC Bottom Tap HSS
C49112	1/4"-20 NC Bottom Tap HSS
C49113	1/4"-28 NF Bottom Tap HSS
C49114	5/16"-18 NC Bottom Tap HSS
C49115	5/16"-24 NF Bottom Tap HSS
C49116	3/8"-16 NC Bottom Tap HSS

Part No.	Description
C49117	3/8"-24 NF Bottom Tap HSS
C49118	7/16"-14 NC Bottom Tap HSS
C49120	1/2"-13 NC Bottom Tap HSS
C49121	1/2"-20 NF Bottom Tap HSS
C49122	9/16"-12 NC Bottom Tap HSS
C49123	9/16"-18 NF Bottom Tap HSS
C49124	5/8"-11 NC Bottom Tap HSS
C49128	3/4"-10 NC Bottom Tap HSS
C49130	7/8"-9 NC Bottom Tap HSS
C49132	1-8 NC Bottom Tap HSS

CARBON PIPE TAP

Features

- National pipe tap.
- Carbon steel.
- Ground thread.
- General purpose.



Part No.	Description
C43100	1/16" NPT Pipe Tap Carbon
C43101	1/8" NPT Pipe Tap Carbon
C43102	1/4" NPT Pipe Tap Carbon
C43103	3/8" NPT Pipe Tap Carbon
C43104	1/2" NPT Pipe Tap Carbon

Part No.	Description
C43105	3/4" NPT Pipe Tap Carbon
C43106	1" NPT Pipe Tap Carbon
C43107	1-1/4" NPT Pipe Tap Carbon
C43108	1-1/2" NPT Pipe Tap Carbon
C43109	2" NPT Pipe Tap Carbon

HSS PIPE TAP

Features

- National pipe tap.
- High speed steel.
- Ground thread.
- Heavy duty.

Part No.	Description
C44100	1/16" NPT Pipe Tap HSS
C44101	1/8" NPT Pipe Tap HSS
C44102	1/4" NPT Pipe Tap HSS
C44103	3/8" NPT Pipe Tap HSS
C44104	1/2" NPT Pipe Tap HSS



Part No.	Description
C44105	3/4" NPT Pipe Tap HSS
C44106	1" NPT Pipe Tap HSS
C44107	1-1/4" NPT Pipe Tap HSS
C44108	1-1/2" NPT Pipe Tap HSS
C44109	2" NPT Pipe Tap HSS

HSS COMBO DRILL TAP

Features

- High speed steel.
- Ground thread.
- Heavy duty.

Part No.	Description
C45100	6-32 Drill Tap
C45101	8-32 Drill Tap
C45102	8-36 Drill Tap
C45103	10-24 Drill Tap
C45104	10-32 Drill Tap
C45105	12-24 Drill Tap
C45106	1/4"-20 Drill Tap



Part No.	Description
C45107	1/4"-28 Drill Tap
C45108	5/16"-18 Drill Tap
C45109	3/8"-16 Drill Tap
C45110	3/8"-24 Drill Tap
C45111	7/16"-14 Drill Tap
C45112	1/2"-13 Drill Tap

HSS SPIRAL POINT GUN TAP

Features

- High speed steel.
- Ground thread.
- Heavy duty.

Part No.	Description
C46100	6-32 Gun Tap
C46101	8-32 Gun Tap
C46102	10-24 Gun Tap
C46103	10-32 Gun Tap
C46104	12-24 Gun Tap



Part No.	Description
C46105	1/4"-20 Gun Tap
C46106	1/4"-28 Gun Tap
C46107	5/16"-18 Gun Tap
C46108	3/8"-16 Gun Tap
C46109	1/2"-13 Gun Tap

TAP & DRILL SET

Features

- HSS drill bit sizes: #36, #29, #25, #21, #7, F, 5/16", U, 27/64"
- Tap sizes: 6-32, 8-32, 10-24, 10-32, 1/4"-20, 5/16"-18, 3/8"-16, 7/16"-14, 1/2"-13

Part No.	Description
C40100	19 PC. Tap & Drill Set Carbon



Part No.	Description
C40200	19 PC. Tap & Drill Set HSS

TAP WRENCH

Features

- T-handle tap wrench.
- Industrial quality.

Part No.	Description
C47100	#0 - 1/4" T-Handle Tap Wrench



Part No.	Description
C47200	#10 - 1/2" T-Handle Tap Wrench

M2 HSS CAR REAMER (INCH)

Features

- High speed steel (HSS).
- Tapered point.
- Left-hand spiral.
- Right-hand cut.
- 3-flat shank.

Part No.	Description
C34100	3/8" (0.250) Car Reamer, 3/8" Shank
C34101	7/16" (0.281) Car Reamer, 7/16" Shank
C34102	1/2" (0.343) Car Reamer, 1/2" Shank
C34103	9/16" (0.343) Car Reamer, 1/2" Shank
C34104	5/8" (0.343) Car Reamer, 1/2" Shank
C34105	11/16" (0.375) Car Reamer, 1/2" Shank



Part No.	Description
C34106	3/4" (0.406) Car Reamer, 1/2" Shank
C34107	13/16" (0.468) Car Reamer, 1/2" Shank
C34108	7/8" (0.500) Car Reamer, 1/2" Shank
C34109	15/16" (0.585) Car Reamer, 1/2" Shank
C34110	1" (0.594) Car Reamer, 1/2" Shank
C34111	1-1/16" (0.807) Car Reamer, 1/2" Shank

M2 HSS HEX CAR REAMER (INCH)

Features

- High speed steel (HSS).
- Tapered point.
- Left-hand spiral.
- Right-hand cut.
- Hex nut shank.

Part No.	Description
C34200	11/16" (0.375) Hex Car Reamer, 1-1/16" Hex Shank
C34201	13/16" (0.468) Hex Car Reamer, 1-1/4" Hex Shank



Part No.	Description
C34202	15/16" (0.585) Hex Car Reamer, 1-7/16" Hex Shank
C34203	1-1/16" (0.807) Hex Car Reamer, 1-5/8" Hex Shank

M2 HSS HEX BRIDGE REAMER (INCH)

Features

- High speed steel (HSS).
- Tapered point.
- Left-hand spiral.
- Right-hand cut.
- Hex nut shank.

Part No.	Description
C34300	11/16" (0.375) Hex Bridge Reamer, 1-1/16" Hex Shank
C34301	13/16" (0.468) Hex Bridge Reamer, 1-1/4" Hex Shank



Part No.	Description
C34302	15/16" (0.585) Hex Bridge Reamer, 1-7/16" Hex Shank
C34303	1-1/16" (0.807) Hex Bridge Reamer, 1-5/8" Hex Shank

TUNGSTEN CARBIDE TIPPED CUTTER (INCH)

Features

- Excellent Wear and Heat Resistance.
- Tungsten Carbide Teeth.
- Cuts Stainless Steel and Tough Alloys.
- Ejects the Slug Saving Time.
- Works in 3/8" & 1/2" Chucks.

Part No.	Description
C32100	5/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32101	11/16" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32102	3/4" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32103	13/16" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32104	7/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32105	15/16" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32106	1" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32107	1-1/16" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32108	1-1/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32109	1-1/4" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32110	1-3/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32111	1-1/2" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32112	1-5/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank



Part No.	Description
C32113	1-3/4" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32114	1-7/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32115	2" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32116	2-1/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32117	2-1/4" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32118	2-3/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32119	2-1/2" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32120	2-3/4" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32121	3" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32122	3-1/4" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32123	3-1/2" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32124	3-5/8" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32125	4" T.C.T. 3/16" Cutting Depth, 1/2" Shank

TUNGSTEN CARBIDE TIPPED CUTTER (INCH)

Features

- Excellent Wear and Heat Resistance.
- Tungsten Carbide Teeth.
- Cuts Stainless Steel and Tough Alloys.
- Ejects the Slug Saving Time.
- Works in 3/8" & 1/2" Chucks.



Part No.	Description
C32200	9/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32201	5/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32202	11/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32203	3/4" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32204	13/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32205	7/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32206	15/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32207	1" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32208	1-1/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32209	1-1/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32210	1-3/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank

Part No.	Description
C32211	1-1/4" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32212	1-3/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32213	1-1/2" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32214	1-5/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32215	1-3/4" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32216	1-7/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32217	2" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32218	2-1/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32219	2-1/4" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32220	2-3/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32221	2-1/2" T.C.T. 1-3/8" Cutting Depth 1/2" Shank

TUNGSTEN CARBIDE TIPPED ACCESSORIES (INCH)

Features

- Excellent Wear and Heat Resistance.
- Tungsten Carbide Teeth.
- Cuts Stainless Steel and Tough Alloys.

Part No.	Description
C33100	Center Drill ϕ 6mm x 50L
C33101	Spring 1.2mm x 16L



Part No.	Description
C33200	Center Drill ϕ 6mm x 50L
C33201	HM Spring

M2 HSS ANNULAR CUTTERS FOR MAGNETIC DRILL BIT (INCH)

Features

- M2 HSS.
- 3/4" Weldon Shanks.
- Aggressive Cutting Edges.
- No Center Punch Required.
- Cut up to 1".
- For All Magnetic Drills.



Part No.	Description
C30100	7/16" x 1" Annular Cutter (HSS)
C30101	1/2" x 1" Annular Cutter (HSS)
C30102	9/16" x 1" Annular Cutter (HSS)
C30103	5/8" x 1" Annular Cutter (HSS)
C30104	11/16" x 1" Annular Cutter (HSS)
C30105	3/4" x 1" Annular Cutter (HSS)
C30106	13/16" x 1" Annular Cutter (HSS)
C30107	7/8" x 1" Annular Cutter (HSS)
C30108	15/16" x 1" Annular Cutter (HSS)
C30109	1" x 1" Annular Cutter (HSS)
C30110	1-1/16" x 1" Annular Cutter (HSS)
C30111	1-1/8" x 1" Annular Cutter (HSS)
C30112	1-3/16" x 1" Annular Cutter (HSS)
C30113	1-1/4" x 1" Annular Cutter (HSS)

Part No.	Description
C30114	1-5/16" x 1" Annular Cutter (HSS)
C30115	1-3/8" x 1" Annular Cutter (HSS)
C30116	1-7/16" x 1" Annular Cutter (HSS)
C30117	1-1/2" x 1" Annular Cutter (HSS)
C30118	1-9/16" x 1" Annular Cutter (HSS)
C30119	1-5/8" x 1" Annular Cutter (HSS)
C30120	1-11/16" x 1" Annular Cutter (HSS)
C30121	1-3/4" x 1" Annular Cutter (HSS)
C30122	1-13/16" x 1" Annular Cutter (HSS)
C30123	1-7/8" x 1" Annular Cutter (HSS)
C30124	1-15/16" x 1" Annular Cutter (HSS)
C30125	2" x 1" Annular Cutter (HSS)
C30126	2-1/16" x 1" Annular Cutter (HSS)

M2 HSS ANNULAR CUTTERS FOR MAGNETIC DRILL BIT (INCH)

Features

- M2 HSS.
- 3/4" Weldon Shanks.
- Aggressive Cutting Edges.
- No Center Punch Required.
- Cut up to 2".
- For All Magnetic Drills.



Part No.	Description
C30200	7/16" x 2" Annular Cutter (HSS)
C30201	1/2" x 2" Annular Cutter (HSS)
C30202	9/16" x 2" Annular Cutter (HSS)
C30203	5/8" x 2" Annular Cutter (HSS)
C30204	11/16" x 2" Annular Cutter (HSS)
C30205	3/4" x 2" Annular Cutter (HSS)
C30206	13/16" x 2" Annular Cutter (HSS)
C30207	7/8" x 2" Annular Cutter (HSS)
C30208	15/16" x 2" Annular Cutter (HSS)
C30209	1" x 2" Annular Cutter (HSS)
C30210	1-1/16" x 2" Annular Cutter (HSS)
C30211	1-1/8" x 2" Annular Cutter (HSS)
C30212	1-3/16" x 2" Annular Cutter (HSS)
C30213	1-1/4" x 2" Annular Cutter (HSS)

Part No.	Description
C30214	1-5/16" x 2" Annular Cutter (HSS)
C30215	1-3/8" x 2" Annular Cutter (HSS)
C30216	1-7/16" x 2" Annular Cutter (HSS)
C30217	1-1/2" x 2" Annular Cutter (HSS)
C30218	1-9/16" x 2" Annular Cutter (HSS)
C30219	1-5/8" x 2" Annular Cutter (HSS)
C30220	1-11/16" x 2" Annular Cutter (HSS)
C30221	1-3/4" x 2" Annular Cutter (HSS)
C30222	1-13/16" x 2" Annular Cutter (HSS)
C30223	1-7/8" x 2" Annular Cutter (HSS)
C30224	1-15/16" x 2" Annular Cutter (HSS)
C30225	2" x 2" Annular Cutter (HSS)
C30226	2-1/16" x 2" Annular Cutter (HSS)

M2 HSS ANNULAR CUTTER PILOT PINS (INCH)

Features

- M2 HSS.
- Up to 2".
- For all magnetic drills.



Part No.	Description
C31101	Pilot for 1" Cutter

Part No.	Description
C31102	Pilot for 2" Cutter

WIRE BRUSH

Features

- Individually Blister Packaged.
- Industrial Quality.



Part No.	Description
C38100	2-3/4" Knotted Cup Carbon Steel Wire Brush (.02 Wire & 5/8-1)
C38101	4" Knotted Cup Carbon Steel Wire Brush (.02 Wire & 5/8-11" S)
C38102	6" Knotted Cup Carbon Steel Wire Brush (.02 Wire & 5/8-11" S)
C38110	3" Crimped Cup Carbon Steel Wire Brush (.14 Wire & 5/8-11" S)
C38111	4" Crimped Cup Carbon Steel Wire Brush (.14 Wire & 5/8-11" S)
C38120	4" Twist Knot Wheel Carbon Steel (.02 Wire & 5/8-11" Spindle)

Part No.	Description
C38130	4" Stringer Bead Wheel Carbon Steel Wire Brush (.02 Wire & 5)
C38131	7" Stringer Bead Wheel Carbon Steel Wire Brush (.02 Wire & 5)
C38140	12" Walk Behind Wire Brush Carbon Steel 1" Spindle (.02 Wire)
C38150	Hand Wire Brush Carbon Steel
C39100	2-3/4" Knotted Cup Stainless Steel (.02 Wire & 5/8-11" Spind)
C39130	4" Stringer Bead Wheel Stainless Steel Wire Brush (.02 Wire)

SPADE BIT

Features

- Cold Forged.
- Full Length Treated.
- Machine Finish Cutting Groove.
- Rust Protection
- Wing Tip Design.
- 1/4" Hex Power Groove Shank.
- Individually Stamped With Size.
- Industrial Quality.

Part No.	Description
C51100	1/4" x 6" Spade Bit 1/4" Hex Shank
C51101	5/16" x 6" Spade Bit 1/4" Hex Shank
C51102	3/8" x 6" Spade Bit 1/4" Hex Shank
C51103	7/16" x 6" Spade Bit 1/4" Hex Shank
C51104	1/2" x 6" Spade Bit 1/4" Hex Shank
C51105	9/16" x 6" Spade Bit 1/4" Hex Shank
C51106	5/8" x 6" Spade Bit 1/4" Hex Shank
C51107	11/16" x 6" Spade Bit 1/4" Hex Shank
C51108	3/4" x 6" Spade Bit 1/4" Hex Shank



Part No.	Description
C51109	13/16" x 6" Spade Bit 1/4" Hex Shank
C51110	7/8" x 6" Spade Bit 1/4" Hex Shank
C51111	15/16" x 6" Spade Bit 1/4" Hex Shank
C51112	1" x 6" Spade Bit 1/4" Hex Shank
C51113	1-1/8" x 6" Spade Bit 1/4" Hex Shank
C51114	1-1/4" x 6" Spade Bit 1/4" Hex Shank
C51115	1-3/8" x 6" Spade Bit 1/4" Hex Shank
C51116	1-1/2" x 6" Spade Bit 1/4" Hex Shank

SPADE BIT SET

Features

- Industrial Quality.
- 3/8", 1/2", 5/8", 3/4", 7/8", 1".

Part No.	Description
C50100	6 PC. Spade Bit Set



SELF FEED DRILL

Features

- Fast Continuous and Self Feeding.
- Deep Holes.
- 7/16" Impact Hex Shank.
- Double End Screw.
- Extra Screw & Wrench.
- Industrial Quality.

Part No.	Description
C52100	1" Self Feed, 7/16" Impact Hex Shank
C52101	1-1/8" Self Feed, 7/16" Impact Hex Shank
C52102	1-1/4" Self Feed, 7/16" Impact Hex Shank
C52103	1-3/8" Self Feed, 7/16" Impact Hex Shank
C52104	1-1/2" Self Feed, 7/16" Impact Hex Shank
C52105	1-3/4" Self Feed, 7/16" Impact Hex Shank
C52106	2" Self Feed, 7/16" Impact Hex Shank



Part No.	Description
C52107	2-1/8" Self Feed, 7/16" Impact Hex Shank
C52108	2-1/4" Self Feed, 7/16" Impact Hex Shank
C52109	2-9/16" Self Feed, 7/16" Impact Hex Shank
C52110	3" Self Feed, 7/16" Impact Hex Shank
C52111	3-5/8" Self Feed, 7/16" Impact Hex Shank
C52112	4-5/8" Self Feed, 7/16" Impact Hex Shank

WOOD DRILL EXTENSION

Features

- Hex Wrench Included.
- 2 Set Screws.

Part No.	Description
C53100	1/4" x 12" Quick Spade Extension
C53101	1/4" x 18" Quick Spade Extension
C53200	5/16" x 18" Extension



Part No.	Description
C53300	7/16" x 12" Extension
C53301	7/16" x 18" Extension

SHIP AUGER

Features

- 6" Twist length.
- Heat Treated.
- Machine Ground Hollows.
- Deep Throat.
- Single Twist.
- Single Cutter.
- Side Lip.
- Self-Feeding Screw Point.

Part No.	Description
C55100	1/2" x 8" Ship Auger, 5/16 Hex Shank
C55101	9/16" x 8" Ship Auger, 5/16 Hex Shank
C55102	5/8" x 8" Ship Auger, 5/16 Hex Shank
C55103	11/16" x 8" Ship Auger, 5/16 Hex Shank
C55104	3/4" x 8" Ship Auger, 5/16 Hex Shank
C55105	13/16" x 8" Ship Auger, 5/16 Hex Shank
C55106	7/8" x 8" Ship Auger, 7/16 Impact Hex Shank



SHIP AUGER

Features

- 12" Twist length.
- Heat Treated.
- Machine Ground Hollows.
- Deep Throat.
- Single Twist.
- Single Cutter.
- Side Lip.
- Self-Feeding Screw Point.

Part No.	Description
C55150	3/8" x 18" Ship Auger 5/16 Hex Shank
C55151	5/16" x 18" Ship Auger, 5/16 Hex Shank
C55152	1/2" x 18" Ship Auger, 5/16 Hex Shank
C55153	9/16" x 18" Ship Auger, 5/16 Hex Shank
C55154	5/8" x 18" Ship Auger, 5/16 Hex Shank
C55155	11/16" x 18" Ship Auger, 5/16 Hex Shank
C55156	3/4" x 18" Ship Auger, 5/16 Hex Shank
C55157	13/16" x 18" Ship Auger, 5/16 Hex Shank



ROUND STRAIGHT SHANK CARBIDE BIT

Features

- General purpose.
- Tungsten carbide.
- Slow spiral flute.
- Tempered body.
- Black oxide finish.
- Gold head.
- Straight shank.
- ANSI specification.

Part No.	Description
C11010	1/8" x 2 1/2", 1.5" Usable Length
C11020	5/32" x 6", 5" Usable Length
C11030	3/16" x 3 1/2", 2.5" Usable Length
C11040	3/16" x 6", 5" Usable Length
C11041	7/32" x 4", 2" Usable Length
C11050	1/4" x 4", 3" Usable Length
C11060	1/4" x 6", 5" Usable Length
C11061	1/4" x 12", 6" Usable Length
C11062	1/4" x 18", 12" Usable Length
C11063	5/16" x 4", 2" Usable Length
C11070	5/16" x 6", 5" Usable Length
C11071	5/16" x 12", 6" Usable Length
C11072	5/16" x 18", 12" Usable Length
C11073	3/8" x 4", 2" Usable Length
C11080	3/8" x 6", 5" Usable Length
C11081	3/8" x 12", 6" Usable Length
C11082	3/8" x 18", 12" Usable Length
C11083	3/8" x 24", 12" Usable Length



Part No.	Description
C11084	7/16" x 6", 3" Usable Length
C11085	1/2" x 4", 2" Usable Length
C11090	1/2" x 6", 5" Usable Length
C11091	1/2" x 12", 6" Usable Length
C11092	1/2" x 18", 12" Usable Length
C11093	9/16" x 6", 3" Usable Length
C11094	5/8" x 6", 3" Usable Length
C11095	5/8" x 12", 6" Usable Length
C11096	5/8" x 18", 12" Usable Length
C11097	3/4" x 6", 3" Usable Length
C11098	3/4" x 12", 6" Usable Length
C11099	3/4" x 18", 12" Usable Length
C11100	7/8" x 6", 3" Usable Length
C11101	7/8" x 12", 6" Usable Length
C11102	7/8" x 18", 12" Usable Length
C11103	1" x 6", 3" Usable Length
C11104	1" x 12", 6" Usable Length
C11105	1" x 18", 12" Usable Length

Proferred®

Preferred by Professionals

SDS-PLUS CARBIDE BIT



Available in Contractor Packs

Features

- Rotary Hammer Drill.
- Serrated Head Geometry.
- Self Centering Chisel Point.
- ANSI Specification.
- Tungsten Carbide Tip.
- Copper / Silver Brazing



- Fastest Dust Removal
- Fastest Drilling Speeds
- Clean Round Holes
- Less Vibration
- Polished Finish
- Industrial Quality



Part No.	Description
C10009	5/32" x 4 1/4", 2" Usable Length
C10010	5/32" x 6 1/2", 4" Usable Length
C10020	3/16" x 4 1/2", 2" Usable Length
C10030	3/16" x 6 1/2", 4" Usable Length
C10031	3/16" x 8 1/2", 6" Usable Length
C10032	3/16" x 12 1/2", 10" Usable Length
C10033	7/32" x 6 1/2", 4" Usable Length
C10034	7/32" x 8 1/2", 6" Usable Length
C10035	7/32" x 10 1/2", 8" Usable Length
C10036	7/32" x 16", 14" Usable Length
C10040	1/4" x 4 1/2", 2" Usable Length
C10050	1/4" x 6 1/2", 4" Usable Length
C10051	1/4" x 8 1/2", 6" Usable Length
C10052	1/4" x 10 1/2", 8" Usable Length
C10053	1/4" x 14", 12" Usable Length
C10054	1/4" x 16", 14" Usable Length
C10060	5/16" x 6 1/2", 4" Usable Length
C10070	5/16" x 12 1/2", 10" Usable Length
C10080	3/8" x 6 1/2", 4" Usable Length
C10090	3/8" x 10 1/2", 8" Usable Length
C10100	3/8" x 12 1/2", 10" Usable Length
C10101	3/8" x 18", 16" Usable Length
C10102	3/8" x 24", 22" Usable Length
C10110	7/16" x 6 1/2", 4" Usable Length
C10111	7/16" x 12 1/2", 10" Usable Length

Part No.	Description
C10120	1/2" x 6 1/2", 4" Usable Length
C10130	1/2" x 10 1/2", 8" Usable Length
C10140	1/2" x 12 1/2", 10" Usable Length
C10141	1/2" x 18", 16" Usable Length
C10142	1/2" x 24", 22" Usable Length
C10150	9/16" x 6 1/2", 4" Usable Length
C10160	9/16" x 12 1/2", 10" Usable Length
C10170	5/8" x 6 1/2", 4" Usable Length
C10171	5/8" x 8 1/4", 6" Usable Length
C10180	5/8" x 9 1/2", 7" Usable Length
C10190	5/8" x 12 1/4", 10" Usable Length
C10191	5/8" x 18", 16" Usable Length
C10192	5/8" x 24", 22" Usable Length
C10193	3/4" x 8", 6" Usable Length
C10200	11/16" x 7", 7" Usable Length
C10210	3/4" x 9 1/2", 7" Usable Length
C10220	3/4" x 12", 10" Usable Length
C10221	3/4" x 18", 16" Usable Length
C10222	3/4" x 24", 22" Usable Length
C10223	7/8" x 8", 6" Usable Length
C10230	7/8" x 9 1/2", 7" Usable Length
C10231	7/8" x 12", 10" Usable Length
C10240	1" x 10", 8" Usable Length
C10241	1" x 18", 16" Usable Length

SDS-MAX® CARBIDE BIT (INCH)

Features

- Rotary Hammer Drill.
- Industrial Quality.
- Tungsten Carbide Tip.
- Copper / Silver Brazing.
- Fastest Dust Removal.
- Fastest Drilling Speeds.



- Heat Treated Body.
- Clean Round Holes.
- Less Vibration.
- Polished Finish.
- ANSI Specification.



Part No.	Description
C13100	3/8" x 13", 8" Usable Length
C13102	1/2" x 13", 8" Usable Length
C13104	1/2" x 21", 15 1/2" Usable Length
C13106	9/16" x 21", 15 1/2" Usable Length
C13108	5/8" x 13", 8" Usable Length
C13110	5/8" x 21", 15 1/2" Usable Length
C13112	5/8" x 36", 31" Usable Length
C13114	11/16" x 21", 15 1/2" Usable Length
C13116	3/4" x 13", 8" Usable Length

Part No.	Description
C13118	3/4" x 21", 15 3/4" Usable Length
C13120	3/4" x 36", 32" Usable Length
C13122	7/8" x 13", 9" Usable Length
C13124	7/8" x 21", 17" Usable Length
C13126	7/8" x 36", 32" Usable Length
C13128	1" x 13", 8" Usable Length
C13130	1" x 21", 17" Usable Length
C13132	1" x 36", 32" Usable Length
C13134	1 1/8" x 17", 13" Usable Length

Part No.	Description
C13136	1 1/8" x 21", 17" Usable Length
C13138	1 1/8" x 36", 32" Usable Length
C13140	1 1/4" x 15", 11" Usable Length
C13142	1 1/4" x 23", 17" Usable Length
C13144	1 3/8" x 23", 17" Usable Length
C13146	1 1/2" x 23", 17" Usable Length
C13148	1 3/4" x 23", 18" Usable Length
C13150	2" x 23", 18" Usable Length

SDS PLUS BIT WITH STOP

Features

- Rotary Hammer Drill.
- STOP - Lip Prevents Over-Drilling.
- Drill Exact Depth For Drop-In Anchor.
- Less Likely to Hit Rebar.
- ANSI Specification.



Part No.	Description
C12100	3/8 x 1-1/16 for 1/4 Drop in Anchor
C12102	1/2 x 13/16 for 3/8 Short Drop In Anchor
C12104	1/2 x 1-11/16 for 3/8 Drop In Anchor

Part No.	Description
C12106	5/8 x 1-3/16 for 1/2 Short Drop In Anchor
C12108	5/8 x 2-1/16 for 1/2 Drop In Anchor

CONCRETE SCREW BITS PLAIN

Features

- Industrial quality.
- Tungsten carbide tip.
- Used for 5/32" screws and 3/16" screws.



Part No.	Description
R62001	3/16" x 5 1/2"
R62002	3/16" x 6 3/4"
R62003	3/16" x 4 1/2"
R62004	5/32" x 3 1/2"

Part No.	Description
R62005	5/32" x 4 1/2"
R62006	5/32" x 5 1/2"
R62008	3/16" x 3 1/2"
R62009	3/16" x 7 5/8"

SDS-HEX CONCRETE SCREW BIT

Features

- Industrial Quality.
- Special Tungsten Carbide Tip.
- Copper / Silver Brazing.
- Polished Finish.
- Used for 5/32" Screws and 3/16" Screws.



Part No.	Description
C19100	3/16" x 5", 2 1/2" Usable Length
C19101	3/16" x 7", 4 1/2" Usable Length

Part No.	Description
C19200	5/32" x 5", 2 1/2" Usable Length
C19201	5/32" x 7", 4 1/2" Usable Length

BI-METAL RECIPROCATING BLADES



Features

- 1/2" Universal Shank.
- Milled Teeth.
- Matrix II Cutting Edge.
- Tooth Hardness Rc 65-67.
- 8% Cobalt.
- Vacuum Heat Treatment.
- Long Life.



- Shock Resistant Teeth
- High Edge Hardness.
- High Heat Resistance.
- High Wear Resistance.
- Greater Rigidity.
- Resists Tooth Strippage.
- Accepts Higher Feed Pressure.



Part No.	Description
C60100	6" x 6T Wood & Nail
C60101	9" x 6T Wood & Nail
C60102	12" x 6T Wood & Nail
C60103	6" x 14T Metal
C60104	6" x 18T Metal

Part No.	Description
C60105	6" x 24T Metal
C60106	8" x 10T Metal
C60107	8" x 14T Metal
C60108	8" x 18T Metal
C60109	12" x 18T Metal



TYPE 1
GRINDING



TYPE 27
BLENDING
GRINDING



TYPE 29
BLENDING
GRINDING

Preferred by Professionals

SCREW EXTRACTOR SET

Features

- Industrial Quality.
- #1, #2, #3, #4, #5, #6.

Part No.	Description
C35100	Screw Extractor Set



SCREW EXTRACTOR

Features

- Industrial Quality.
- Left Hand Spiral Flute.

Part No.	Description
C36100	#1 Screw Extractor
C36101	#2 Screw Extractor
C36102	#3 Screw Extractor
C36103	#4 Screw Extractor
C36104	#5 Screw Extractor



Part No.	Description
C36105	#6 Screw Extractor
C36106	#7 Screw Extractor
C36107	#8 Screw Extractor
C36108	#9 Screw Extractor

ABRASIVE CUT-OFF WHEELS AND CHOP SAW WHEEL

Features

- Resin bonded.
- High strength, reinforced construction.
- Fast stock removal.
- Long life.



Part No.	Description
A01010	4-1/2" x .045" x 7/8", Type 1 Cut-Off Wheel, TA60U
A01011	5" x .045" x 7/8", Type 1 Cut-Off Wheel, TA60U
A01012	6" x .045" x 7/8", Type 1 Cut-Off Wheel, TA60U
A01013	7" x .045" x 7/8", Type 1 Cut-Off Wheel, TA60U
A01030	14" x 3/32" x 1", Type 1 Chop Saw Wheel, A46T
A01032	14" x 3/32" x 1", Type 1 Cop Saw Wheel, TA36T
A01020	4-1/2" x .045" x 7/8", Type 27 Cut-Off Wheel, TA60U
A01021	5" x .045" x 7/8", Type 27 Cut-Off Wheel, TA60U

Part No.	Description
A01022	6" x .045" x 7/8", Type 27 Cut-Off Wheel, TA60U
A01023	7" x .045" x 7/8", Type 27 Cut-Off Wheel, TA60U
A01100	4-1/2" x .045" x 7/8" Type 1 Cut-Off Wheel, A60T-BF
A01101	5" x .045" x 7/8" Type 1 Cut-Off Wheel, A60T-BF
A01102	6" x 1/16" x 7/8" Type 1 Cut-Off Wheel, A40T-BF
A01103	7" x 1/16" x 7/8" Type 1 Cut-Off Wheel, A40T-BF
A01104	9" x 5/64" x 7/8" Type 1 Cut-Off Wheel, A40T-BF
A01111	5" x .045" x 7/8" Type 27 Cut-Off Wheel, A60T-BF

Proffered®

TYPE 1
GRINDING

TYPE 27
BLENDING
GRINDING

TYPE 29
BLENDING
GRINDING

Preferred by Professionals

ABRASIVE PORTABLE HIGH SPEED GAS SAW WHEEL



Features

- **C24R**
 - Primary application - cured concrete, masonry, brick, block, and stone.
 - Popular choice for masonry work.
 - Silicon carbide grain.
- **A24R**
 - Primary application - ferrous metals (structural steel, iron, rebar, etc.)
 - A consistently performing wheel for a variety of cutting applications.
 - Aluminum oxide grains.

• AC24R

- Primary application - ductile pipe, cast iron, concrete, coated steel, sewer and water mains.
- A combination of aluminum oxide and silicon carbide grain.

• TA24R

- Primary application - thin metals, roof, decking, car dismantling.
- Premium wheel, formulated to prevent wheel breakdown caused by sharp, metal edges.
- Specially treated aluminum oxide grain and hard bond.

- All applications where a combination of aluminum oxide and silicon carbide grains are used for cutting off on ductile pipe, cast iron, and other concrete coated steel applications.
- All applications where silicon carbide grain is used for grinding, notching, and cutting off on masonry, concrete, stone, asphalt, brick, and block.



Part No.	Description
A02010	14" x 1/8" x 1", Type 1 Portable Hi-Speed Gas Saw, A24R
A02011	14" x 1/8" x 20MM, Type 1 Portable Hi-Speed Gas Saw, A24R
A02016	14" x 1/8" x 1", Type 1 Portable Hi-Speed Gas Saw, TA24R
A02017	14" x 1/8" x 20MM, Type 1 Portable Hi-Speed Gas Saw, TA24R

Part No.	Description
A02022	14" x 1/8" x 1", Type 1 Portable Hi-Speed Gas Saw, AC24R
A02023	14" x 1/8" x 20MM, Type 1 Portable Hi-Speed Gas Saw, AC24R
A02028	14" x 1/8" x 1", Type 1 Portable Hi-Speed Gas Saw, C24R
A02029	14" x 1/8" x 20MM, Type 1 Portable Hi-Speed Gas Saw, C24R

GRINDING DISC TYPE 27

Features

- Resin bonded.
- Reinforced with glass fibre.
- Good lifetime.
- Good removal rate.
- Good for steel & stainless steel.
- Contaminant-free.

Part No.	Description
A05101	5" x 1/4" x 7/8" Type 27 Grinding Wheel A30M-BF
A05102	7" x 1/4" x 7/8" Type 27 Grinding Wheel A30M-BF
A05103	9" x 1/4" x 7/8" Type 27 Grinding Wheel A30M-BF
A05010	4 1/2" x 1/4" x 7/8" Type 27 Grinding Wheel, A24/30PBF
A05012	4 1/2" x 1/4" x 5/8-11" Type 27 Grinding Wheel, A24/30PBF
A05014	5" x 1/4" x 7/8" Type 27 Grinding Wheel, A24/30PBF
A05016	5" x 1/4" x 5/8-11" Type 27 Grinding Wheel, A24/30PBF



Part No.	Description
A05018	6" x 1/4" x 7/8" Type 27 Grinding Wheel, A24/30PBF
A05020	6" x 1/4" x 5/8-11" Type 27 Grinding Wheel, A24/30PBF
A05022	7" x 1/4" x 7/8" Type 27 Grinding Wheel, A24/30PBF
A05024	7" x 1/4" x 5/8-11" Type 27 Grinding Wheel, A24/30PBF
A05026	9" x 1/4" x 7/8" Type 27 Grinding Wheel, A24/30PBF
A05128	9" x 1/4" x 5/8-11" Type 27 Grinding Wheel, A24/30PBF

FLAP DISC TYPE 29

Features

- Long life.
- Maximum benefit and productivity.
- Silent with vibration-free grinding.
- No burning of parts during operation.
- Suitable for more than one application.
- Economical: avoid frequent disc changing.
- Raised Center-Fiberglass.
- Best Choice When Speed and Stock Removal are Primary considerations.

Part No.	Description
A10010	4 1/2" x 7/8" Type 29 40 Grit Zirconia Conical Flap Disc
A10011	4 1/2" x 7/8" Type 29 60-Grit Zirconia Conical Flap Disc
A10012	4 1/2" x 7/8" Type 29 80-Grit Zirconia Conical Flap Disc
A10015	5" x 7/8" Type 29 40-Grit, Zirconia Conical Flap Disc
A10016	5" x 7/8" Type 29 60-Grit, Zirconia Conical Flap Disc
A10017	5" x 7/8" Type 29 80-Grit, Zirconia Conical Flap Disc



Part No.	Description
A10100	4 1/2" x 5/8-11" Type 29, 40 Grit Zirconia Conical Flap Disc
A10101	4 1/2" x 5/8-11" Type 29 60-Grit Zirconia Conical Flap Disc
A10102	4 1/2" x 5/8-11" Type 29 80-Grit Zirconia Conical Flap Disc
A10105	5" x 5/8-11" Type 29, 40-Grit Zirconia Conical Flap Disc
A10106	5" x 5/8-11" Type 29, 60-Grit Zirconia Conical Flap Disc
A10107	5" x 5/8-11" Type 29, 80-Grit Zirconia Conical Flap Disc

FLAP DISC TYPE 27

Features

- Complete 2 processes with one disc (40/60), (60/80), (80/120) for all metals.
- Unique 2 grit for best choice for stock removal and smooth finishing.
- Backing plate can be trimmed.
- New ceramic hybrid fabric allows grinding of work pieces with just one coarse to medium Grit.



Part No.	Description
A12010	4 1/2" x 5/8-11" Type 27 40/60 Grit, Ceramic Flap Disc
A12011	4 1/2" x 5/8-11" Type 27 60/80 Grit, Ceramic Flap Disc
A12012	4 1/2" x 5/8-11" Type 27 80/120 Grit, Ceramic Flap Disc

Part No.	Description
A12015	5" x 5/8-11" Type 27, 40/60 Grit, Ceramic Flap Disc
A12016	5" x 5/8-11" Type 27, 60/80 Grit, Ceramic Flap Disc
A12017	5" x 5/8-11" TYPE 27, 80/120 Grit, Ceramic Flap Disc

HAND PAD

Features

- 6" x 9"
- High mineral content.
- Non-woven nylon-easy to fold.
- Flexible resin technology makes the pads durable yet uniquely comfortable.
- Non-metallic won't rust.
- Long lasting w/high resistance to tearing.
- Various specifications: general purpose, heavy duty coarse, medium, ultra-fine and non-abrasive.



Part No.	Description
A20010	Maroon - General Purpose
A20011	Grey M19 Ultra Fine
A20012	Green M11 Fine

Part No.	Description
A20013	White Non-Abrasive
A20014	Tan - Heavy Duty Coarse

Proferred®

Preferred by
Professionals



www.zalindustrial.com

4905 Telegraph Rd, Los Angeles, CA 90022

Office: 323-262-0259

E-mail: sales@zalindustrial.com